

---

# **Feast Documentation**

**Feast Authors**

**Jan 04, 2022**



# CONTENTS

<b>1</b>	<b>Feature Store</b>	<b>1</b>
<b>2</b>	<b>Config</b>	<b>9</b>
<b>3</b>	<b>Data Source</b>	<b>11</b>
3.1	BigQuery Source . . . . .	13
3.2	Redshift Source . . . . .	14
3.3	File Source . . . . .	15
<b>4</b>	<b>Entity</b>	<b>17</b>
<b>5</b>	<b>Feature View</b>	<b>19</b>
<b>6</b>	<b>On Demand Feature View</b>	<b>21</b>
<b>7</b>	<b>Feature</b>	<b>23</b>
<b>8</b>	<b>Feature Service</b>	<b>25</b>
<b>9</b>	<b>Registry</b>	<b>27</b>
<b>10</b>	<b>Provider</b>	<b>31</b>
10.1	Passthrough Provider . . . . .	32
10.2	Local Provider . . . . .	34
10.3	GCP Provider . . . . .	34
10.4	AWS Provider . . . . .	34
<b>11</b>	<b>Offline Store</b>	<b>35</b>
11.1	File Offline Store . . . . .	35
11.2	BigQuery Offline Store . . . . .	36
11.3	Redshift Offline Store . . . . .	38
<b>12</b>	<b>Online Store</b>	<b>41</b>
12.1	Sqlite Online Store . . . . .	42
12.2	Datastore Online Store . . . . .	44
12.3	DynamoDB Online Store . . . . .	46
12.4	Redis Online Store . . . . .	47
	<b>Python Module Index</b>	<b>51</b>
	<b>Index</b>	<b>53</b>



## FEATURE STORE

```
class feast.feature_store.FeatureStore(repo_path: Optional[str] = None, config:
                                     Optional[feast.repo_config.RepoConfig] = None)
```

Bases: `object`

A FeatureStore object is used to define, create, and retrieve features.

### Parameters

- **repo\_path** (*optional*) – Path to a `feature_store.yaml` used to configure the feature store.
- **config** (*optional*) – Configuration object used to configure the feature store.

```
apply(objects: Union[feast.entity.Entity, feast.feature_view.FeatureView,
                    feast.on_demand_feature_view.OnDemandFeatureView,
                    feast.request_feature_view.RequestFeatureView, feast.feature_service.FeatureService,
                    List[Union[feast.feature_view.FeatureView, feast.on_demand_feature_view.OnDemandFeatureView,
                    feast.request_feature_view.RequestFeatureView, feast.entity.Entity,
                    feast.feature_service.FeatureService]]], objects_to_delete:
Optional[List[Union[feast.feature_view.FeatureView,
                    feast.on_demand_feature_view.OnDemandFeatureView,
                    feast.request_feature_view.RequestFeatureView, feast.entity.Entity,
                    feast.feature_service.FeatureService]]] = None, partial: bool = True) →
feast.diff.FcoDiff.RegistryDiff
```

Register objects to metadata store and update related infrastructure.

The apply method registers one or more definitions (e.g., Entity, FeatureView) and registers or updates these objects in the Feast registry. Once the apply method has updated the infrastructure (e.g., create tables in an online store), it will commit the updated registry. All operations are idempotent, meaning they can safely be rerun.

### Parameters

- **objects** – A single object, or a list of objects that should be registered with the Feature Store.
- **objects\_to\_delete** – A list of objects to be deleted from the registry and removed from the provider's infrastructure. This deletion will only be performed if partial is set to False.
- **partial** – If True, apply will only handle the specified objects; if False, apply will also delete all the objects in objects\_to\_delete, and tear down any associated cloud resources.

**Raises** `ValueError` – The 'objects' parameter could not be parsed properly.

## Examples

Register an Entity and a FeatureView.

```
>>> from feast import FeatureStore, Entity, FeatureView, Feature, ValueType, \
↳ FileSource, RepoConfig
>>> from datetime import timedelta
>>> fs = FeatureStore(repo_path="feature_repo")
>>> driver = Entity(name="driver_id", value_type=ValueTypes.INT64, description=
↳ "driver id")
>>> driver_hourly_stats = FileSource(
...     path="feature_repo/data/driver_stats.parquet",
...     event_timestamp_column="event_timestamp",
...     created_timestamp_column="created",
... )
>>> driver_hourly_stats_view = FeatureView(
...     name="driver_hourly_stats",
...     entities=["driver_id"],
...     ttl=timedelta(seconds=86400 * 1),
...     batch_source=driver_hourly_stats,
... )
>>> diff = fs.apply([driver_hourly_stats_view, driver]) # register entity and
↳ feature view
```

**config:** `feast.repo_config.RepoConfig`

**delete\_feature\_service**(*name: str*)

Deletes a feature service.

**Parameters** *name* – Name of feature service.

**Raises** `FeatureServiceNotFoundException` – The feature view could not be found.

**delete\_feature\_view**(*name: str*)

Deletes a feature view.

**Parameters** *name* – Name of feature view.

**Raises** `FeatureViewNotFoundException` – The feature view could not be found.

**ensure\_request\_data\_values\_exist**(*needed\_request\_data: Set[str], needed\_request\_fv\_features: Set[str], request\_data\_features: Dict[str, List[Any]]*)

**get\_entity**(*name: str*) → `feast.entity.Entity`

Retrieves an entity.

**Parameters** *name* – Name of entity.

**Returns** The specified entity.

**Raises** `EntityNotFoundException` – The entity could not be found.

**get\_feature\_server\_endpoint**() → `Optional[str]`

Returns endpoint for the feature server, if it exists.

**get\_feature\_service**(*name: str, allow\_cache: bool = False*) → `feast.feature_service.FeatureService`

Retrieves a feature service.

**Parameters** *name* – Name of feature service.

**Returns** The specified feature service.

**Raises `FeatureServiceNotFoundException`** – The feature service could not be found.

**`get_feature_view`**(*name: str*) → `feast.feature_view.FeatureView`

Retrieves a feature view.

**Parameters** **name** – Name of feature view.

**Returns** The specified feature view.

**Raises `FeatureViewNotFoundException`** – The feature view could not be found.

**`get_historical_features`**(*entity\_df: Union[pandas.core.frame.DataFrame, str]*, *features: Union[List[str], feast.feature\_service.FeatureService]*, *full\_feature\_names: bool = False*) → `feast.infra.offline_stores.offline_store.RetrievalJob`

Enrich an entity dataframe with historical feature values for either training or batch scoring.

This method joins historical feature data from one or more feature views to an entity dataframe by using a time travel join.

Each feature view is joined to the entity dataframe using all entities configured for the respective feature view. All configured entities must be available in the entity dataframe. Therefore, the entity dataframe must contain all entities found in all feature views, but the individual feature views can have different entities.

Time travel is based on the configured TTL for each feature view. A shorter TTL will limit the amount of scanning that will be done in order to find feature data for a specific entity key. Setting a short TTL may result in null values being returned.

#### Parameters

- **`entity_df`** (*Union[pd.DataFrame, str]*) – An entity dataframe is a collection of rows containing all entity columns (e.g., `customer_id`, `driver_id`) on which features need to be joined, as well as a `event_timestamp` column used to ensure point-in-time correctness. Either a Pandas DataFrame can be provided or a string SQL query. The query must be of a format supported by the configured offline store (e.g., BigQuery)
- **`features`** – A list of features, that should be retrieved from the offline store. Either a list of string feature references can be provided or a `FeatureService` object. Feature references are of the format “`feature_view:feature`”, e.g., “`customer_fv:daily_transactions`”.
- **`full_feature_names`** – A boolean that provides the option to add the feature view prefixes to the feature names, changing them from the format “`feature`” to “`feature_view__feature`” (e.g., “`daily_transactions`” changes to “`customer_fv__daily_transactions`”). By default, this value is set to `False`.

**Returns** `RetrievalJob` which can be used to materialize the results.

**Raises `ValueError`** – Both or neither of `features` and `feature_refs` are specified.

## Examples

Retrieve historical features from a local offline store.

```
>>> from feast import FeatureStore, RepoConfig
>>> import pandas as pd
>>> fs = FeatureStore(repo_path="feature_repo")
>>> entity_df = pd.DataFrame.from_dict(
...     {
...         "driver_id": [1001, 1002],
...         "event_timestamp": [
...             datetime(2021, 4, 12, 10, 59, 42),
```

(continues on next page)

(continued from previous page)

```

...         datetime(2021, 4, 12, 8, 12, 10),
...     ],
...     }
... )
>>> retrieval_job = fs.get_historical_features(
...     entity_df=entity_df,
...     features=[
...         "driver_hourly_stats:conv_rate",
...         "driver_hourly_stats:acc_rate",
...         "driver_hourly_stats:avg_daily_trips",
...     ],
... )
>>> feature_data = retrieval_job.to_df()

```

**get\_needed\_request\_data**(*grouped\_odfv\_refs*:  
*List[Tuple[feast.on\_demand\_feature\_view.OnDemandFeatureView, List[str]]]*,  
*grouped\_request\_fv\_refs*:  
*List[Tuple[feast.request\_feature\_view.RequestFeatureView, List[str]]]*) →  
*Tuple[Set[str], Set[str]]*

**get\_on\_demand\_feature\_view**(*name*: *str*) → *feast.on\_demand\_feature\_view.OnDemandFeatureView*  
Retrieves a feature view.

**Parameters** *name* – Name of feature view.

**Returns** The specified feature view.

**Raises** **FeatureViewNotFoundException** – The feature view could not be found.

**get\_online\_features**(*features*: *Union[List[str], feast.feature\_service.FeatureService]*, *entity\_rows*:  
*List[Dict[str, Any]]*, *full\_feature\_names*: *bool = False*) →  
*feast.online\_response.OnlineResponse*

Retrieves the latest online feature data.

Note: This method will download the full feature registry the first time it is run. If you are using a remote registry like GCS or S3 then that may take a few seconds. The registry remains cached up to a TTL duration (which can be set to infinity). If the cached registry is stale (more time than the TTL has passed), then a new registry will be downloaded synchronously by this method. This download may introduce latency to online feature retrieval. In order to avoid synchronous downloads, please call `refresh_registry()` prior to the TTL being reached. Remember it is possible to set the cache TTL to infinity (cache forever).

#### Parameters

- **features** – List of feature references that will be returned for each entity. Each feature reference should have the following format: “feature\_view:feature” where “feature\_view” & “feature” refer to the Feature and FeatureView names respectively. Only the feature name is required.
- **entity\_rows** – A list of dictionaries where each key-value is an entity-name, entity-value pair.

**Returns** *OnlineResponse* containing the feature data in records.

**Raises** **Exception** – No entity with the specified name exists.



## Examples

Materialize all features into the online store over the interval from 3 hours ago to 10 minutes ago, and then retrieve these online features.

```
>>> from feast import FeatureStore, RepoConfig
>>> fs = FeatureStore(repo_path="feature_repo")
>>> online_response = fs.get_online_features(
...     features=[
...         "driver_hourly_stats:conv_rate",
...         "driver_hourly_stats:acc_rate",
...         "driver_hourly_stats:avg_daily_trips",
...     ],
...     entity_rows=[{"driver_id": 1001}, {"driver_id": 1002}, {"driver_id": 1003}, {"driver_id": 1004}],
... )
>>> online_response_dict = online_response.to_dict()
```

**list\_entities**(*allow\_cache: bool = False*) → List[feast.entity.Entity]

Retrieves the list of entities from the registry.

**Parameters** **allow\_cache** – Whether to allow returning entities from a cached registry.

**Returns** A list of entities.

**list\_feature\_services**() → List[feast.feature\_service.FeatureService]

Retrieves the list of feature services from the registry.

**Returns** A list of feature services.

**list\_feature\_views**(*allow\_cache: bool = False*) → List[feast.feature\_view.FeatureView]

Retrieves the list of feature views from the registry.

**Parameters** **allow\_cache** – Whether to allow returning entities from a cached registry.

**Returns** A list of feature views.

**list\_on\_demand\_feature\_views**() → List[feast.on\_demand\_feature\_view.OnDemandFeatureView]

Retrieves the list of on demand feature views from the registry.

**Returns** A list of on demand feature views.

**list\_request\_feature\_views**(*allow\_cache: bool = False*) → List[feast.request\_feature\_view.RequestFeatureView]

Retrieves the list of feature views from the registry.

**Parameters** **allow\_cache** – Whether to allow returning entities from a cached registry.

**Returns** A list of feature views.

**materialize**(*start\_date: datetime.datetime, end\_date: datetime.datetime, feature\_views: Optional[List[str]] = None*) → None

Materialize data from the offline store into the online store.

This method loads feature data in the specified interval from either the specified feature views, or all feature views if none are specified, into the online store where it is available for online serving.

**Parameters**

- **start\_date** (*datetime*) – Start date for time range of data to materialize into the online store
- **end\_date** (*datetime*) – End date for time range of data to materialize into the online store

- **feature\_views** (*List[str]*) – Optional list of feature view names. If selected, will only run materialization for the specified feature views.

### Examples

Materialize all features into the online store over the interval from 3 hours ago to 10 minutes ago.

```
>>> from feast import FeatureStore, RepoConfig
>>> from datetime import datetime, timedelta
>>> fs = FeatureStore(repo_path="feature_repo")
>>> fs.materialize(
...     start_date=datetime.utcnow() - timedelta(hours=3), end_date=datetime.
↳ utcnow() - timedelta(minutes=10)
... )
Materializing...
...
...

```

**materialize\_incremental** (*end\_date: datetime.datetime, feature\_views: Optional[List[str]] = None*) → *None*

Materialize incremental new data from the offline store into the online store.

This method loads incremental new feature data up to the specified end time from either the specified feature views, or all feature views if none are specified, into the online store where it is available for online serving. The start time of the interval materialized is either the most recent end time of a prior materialization or (now - ttl) if no such prior materialization exists.

#### Parameters

- **end\_date** (*datetime*) – End date for time range of data to materialize into the online store
- **feature\_views** (*List[str]*) – Optional list of feature view names. If selected, will only run materialization for the specified feature views.

**Raises** **Exception** – A feature view being materialized does not have a TTL set.

### Examples

Materialize all features into the online store up to 5 minutes ago.

```
>>> from feast import FeatureStore, RepoConfig
>>> from datetime import datetime, timedelta
>>> fs = FeatureStore(repo_path="feature_repo")
>>> fs.materialize_incremental(end_date=datetime.utcnow() -
↳ timedelta(minutes=5))
Materializing...
...
...

```

**plan** (*desired\_repo\_objects: feast.feature\_store.RepoContents*) → *feast.diff.FcoDiff.RegistryDiff*  
 Dry-run registering objects to metadata store.

The plan method dry-runs registering one or more definitions (e.g., Entity, FeatureView), and produces a list of all the changes that would be introduced in the feature repo. The changes computed by the plan command are for informational purpose, and are not actually applied to the registry.

### Parameters

- **objects** – A single object, or a list of objects that are intended to be registered with the Feature Store.
- **objects\_to\_delete** – A list of objects to be deleted from the registry.
- **partial** – If True, apply will only handle the specified objects; if False, apply will also delete all the objects in objects\_to\_delete.

**Raises** `ValueError` – The ‘objects’ parameter could not be parsed properly.

### Examples

Generate a plan adding an Entity and a FeatureView.

```
>>> from feast import FeatureStore, Entity, FeatureView, Feature, ValueType, \
↳ FileSource, RepoConfig
>>> from feast.feature_store import RepoContents
>>> from datetime import timedelta
>>> fs = FeatureStore(repo_path="feature_repo")
>>> driver = Entity(name="driver_id", value_type=ValueType.INT64, description=
↳ "driver id")
>>> driver_hourly_stats = FileSource(
...     path="feature_repo/data/driver_stats.parquet",
...     event_timestamp_column="event_timestamp",
...     created_timestamp_column="created",
... )
>>> driver_hourly_stats_view = FeatureView(
...     name="driver_hourly_stats",
...     entities=["driver_id"],
...     ttl=timedelta(seconds=86400 * 1),
...     batch_source=driver_hourly_stats,
... )
>>> diff = fs.plan(RepoContents({driver_hourly_stats_view}, set(), set(),
↳ {driver}, set())) # register entity and feature view
```

**property project:** `str`

Gets the project of this feature store.

**refresh\_registry()**

Fetches and caches a copy of the feature registry in memory.

Explicitly calling this method allows for direct control of the state of the registry cache. Every time this method is called the complete registry state will be retrieved from the remote registry store backend (e.g., GCS, S3), and the cache timer will be reset. If `refresh_registry()` is run before `get_online_features()` is called, then `get_online_feature()` will use the cached registry instead of retrieving (and caching) the registry itself.

Additionally, the TTL for the registry cache can be set to infinity (by setting it to 0), which means that `refresh_registry()` will become the only way to update the cached registry. If the TTL is set to a value greater than 0, then once the cache becomes stale (more time than the TTL has passed), a new cache will be downloaded synchronously, which may increase latencies if the triggering method is `get_online_features()`

**property registry:** `feast.registry.Registry`

Gets the registry of this feature store.

**repo\_path:** `pathlib.Path`

**serve**(*host: str, port: int, no\_access\_log: bool*) → None

Start the feature consumption server locally on a given port.

**serve\_transformations**(*port: int*) → None

Start the feature transformation server locally on a given port.

**teardown**()

Tears down all local and cloud resources for the feature store.

**version**() → str

Returns the version of the current Feast SDK/CLI.

**write\_to\_online\_store**(*feature\_view\_name: str, df: pandas.core.frame.DataFrame,*  
*allow\_registry\_cache: bool = True*)

ingests data directly into the Online store

**class** `feast.feature_store.RepoContents`(*feature\_views, on\_demand\_feature\_views, request\_feature\_views,*  
*entities, feature\_services*)

Bases: `tuple`

**property** `entities`

Alias for field number 3

**property** `feature_services`

Alias for field number 4

**property** `feature_views`

Alias for field number 0

**property** `on_demand_feature_views`

Alias for field number 1

**property** `request_feature_views`

Alias for field number 2

**to\_registry\_proto**() → `feast.core.Registry_pb2.Registry`

**class** `feast.repo_config.FeastConfigBaseModel`

Feast Pydantic Configuration Class

**exception** `feast.repo_config.FeastConfigError`(*error\_message, config\_path*)

**class** `feast.repo_config.RegistryConfig`(\**registry\_store\_type: pydantic.types.StrictStr = None, path: pydantic.types.StrictStr, cache\_ttl\_seconds: pydantic.types.StrictInt = 600, \*\*extra\_data: Any*)

Metadata Store Configuration. Configuration that relates to reading from and writing to the Feast registry.

**cache\_ttl\_seconds:** `pydantic.types.StrictInt`

The cache TTL is the amount of time registry state will be cached in memory. If this TTL is exceeded then the registry will be refreshed when any feature store method asks for access to registry state. The TTL can be set to infinity by setting TTL to 0 seconds, which means the cache will only be loaded once and will never expire. Users can manually refresh the cache by calling `feature_store.refresh_registry()`

**Type** `int`

**path:** `pydantic.types.StrictStr`

Path to metadata store. Can be a local path, or remote object storage path, e.g. a GCS URI

**Type** `str`

**registry\_store\_type:** `Optional[pydantic.types.StrictStr]`

Provider name or a class name that implements `RegistryStore`.

**Type** `str`

**class** `feast.repo_config.RepoConfig`(\**registry: Union[pydantic.types.StrictStr, feast.repo\_config.RegistryConfig] = 'data/registry.db', project: pydantic.types.StrictStr, provider: pydantic.types.StrictStr, online\_store: Any = None, offline\_store: Any = None, feature\_server: Any = None, flags: Any = None, repo\_path: pathlib.Path = None, \*\*data: Any*)

Repo config. Typically loaded from `feature_store.yaml`

**feature\_server:** `Optional[Any]`

Feature server configuration (optional depending on provider)

**Type** `FeatureServerConfig`

**flags:** `Any`

Feature flags for experimental features (optional)

**Type** `Flags`

**offline\_store:** `Any`

Offline store configuration (optional depending on provider)

**Type** `OfflineStoreConfig`

**online\_store:** `Any`

Online store configuration (optional depending on provider)

**Type** `OnlineStoreConfig`

**project:** `pydantic.types.StrictStr`

Feast project id. This can be any alphanumeric string up to 16 characters. You can have multiple independent feature repositories deployed to the same cloud provider account, as long as they have different project ids.

**Type** `str`

**provider:** `pydantic.types.StrictStr`

local or gcp or aws

**Type** `str`

**registry:** `Union[pydantic.types.StrictStr, feast.repo_config.RegistryConfig]`

Path to metadata store. Can be a local path, or remote object storage path, e.g. a GCS URI

**Type** `str`

## DATA SOURCE

```
class feast.data_source.DataSource(event_timestamp_column: Optional[str] = None,  
                                  created_timestamp_column: Optional[str] = None, field_mapping:  
                                  Optional[Dict[str, str]] = None, date_partition_column: Optional[str]  
                                  = None)
```

DataSource that can be used to source features.

### Parameters

- **event\_timestamp\_column** (*optional*) – Event timestamp column used for point in time joins of feature values.
- **created\_timestamp\_column** (*optional*) – Timestamp column indicating when the row was created, used for deduplicating rows.
- **field\_mapping** (*optional*) – A dictionary mapping of column names in this data source to feature names in a feature table or view. Only used for feature columns, not entity or timestamp columns.
- **date\_partition\_column** (*optional*) – Timestamp column used for partitioning.

**property created\_timestamp\_column:** `str`  
Returns the created timestamp column of this data source.

**property date\_partition\_column:** `str`  
Returns the date partition column of this data source.

**property event\_timestamp\_column:** `str`  
Returns the event timestamp column of this data source.

**property field\_mapping:** `Dict[str, str]`  
Returns the field mapping of this data source.

**abstract static from\_proto**(*data\_source: feast.core.DataSource\_pb2.DataSource*) → Any  
Converts data source config in protobuf spec to a DataSource class object.

**Parameters** `data_source` – A protobuf representation of a DataSource.

**Returns** A DataSource class object.

**Raises** `ValueError` – The type of DataSource could not be identified.

**get\_table\_column\_names\_and\_types**(*config: feast.repo\_config.RepoConfig*) → Iterable[Tuple[str, str]]  
Returns the list of column names and raw column types.

**Parameters** `config` – Configuration object used to configure a feature store.

**get\_table\_query\_string**() → `str`  
Returns a string that can directly be used to reference this table in SQL.

**abstract static source\_datatype\_to\_feast\_value\_type()** → Callable[[str], feast.value\_type.ValueType]

Returns the callable method that returns Feast type given the raw column type.

**abstract to\_proto()** → feast.core.DataSource\_pb2.DataSource

Converts an DataSourceProto object to its protobuf representation.

**validate**(*config: feast.repo\_config.RepoConfig*)

Validates the underlying data source.

**Parameters config** – Configuration object used to configure a feature store.

**class** feast.data\_source.**RequestDataSource**(*name: str, schema: Dict[str, feast.value\_type.ValueType]*)

RequestDataSource that can be used to provide input features for on demand transforms

**Parameters**

- **name** – Name of the request data source
- **schema** – Schema mapping from the input feature name to a ValueType

**static from\_proto**(*data\_source: feast.core.DataSource\_pb2.DataSource*)

Converts data source config in protobuf spec to a DataSource class object.

**Parameters data\_source** – A protobuf representation of a DataSource.

**Returns** A DataSource class object.

**Raises ValueError** – The type of DataSource could not be identified.

**get\_table\_column\_names\_and\_types**(*config: feast.repo\_config.RepoConfig*) → Iterable[Tuple[str, str]]

Returns the list of column names and raw column types.

**Parameters config** – Configuration object used to configure a feature store.

**property name:** str

Returns the name of this data source

**property schema:** Dict[str, feast.value\_type.ValueType]

Returns the schema for this request data source

**static source\_datatype\_to\_feast\_value\_type()** → Callable[[str], feast.value\_type.ValueType]

Returns the callable method that returns Feast type given the raw column type.

**to\_proto()** → feast.core.DataSource\_pb2.DataSource

Converts an DataSourceProto object to its protobuf representation.

**validate**(*config: feast.repo\_config.RepoConfig*)

Validates the underlying data source.

**Parameters config** – Configuration object used to configure a feature store.

**class** feast.data\_source.**SourceType**(*value*)

DataSource value type. Used to define source types in DataSource.



## 3.1 BigQuery Source

```
class feast.infra.offline_stores.bigquery_source.BigQuerySource(event_timestamp_column:
    Optional[str] = "", table_ref:
    Optional[str] = None,
    created_timestamp_column:
    Optional[str] = "",
    field_mapping:
    Optional[Dict[str, str]] = None,
    date_partition_column:
    Optional[str] = "", query:
    Optional[str] = None)
```

### property bigquery\_options

Returns the bigquery options of this data source

```
static from_proto(data_source: feast.core.DataSource_pb2.DataSource)
```

Converts data source config in protobuf spec to a DataSource class object.

**Parameters** `data_source` – A protobuf representation of a DataSource.

**Returns** A DataSource class object.

**Raises** `ValueError` – The type of DataSource could not be identified.

```
get_table_column_names_and_types(config: feast.repo_config.RepoConfig) → Iterable[Tuple[str, str]]
```

Returns the list of column names and raw column types.

**Parameters** `config` – Configuration object used to configure a feature store.

```
get_table_query_string() → str
```

Returns a string that can directly be used to reference this table in SQL

```
static source_datatype_to_feast_value_type() → Callable[[str], feast.value_type.ValueType]
```

Returns the callable method that returns Feast type given the raw column type.

```
to_proto() → feast.core.DataSource_pb2.DataSource
```

Converts an DataSourceProto object to its protobuf representation.

```
validate(config: feast.repo_config.RepoConfig)
```

Validates the underlying data source.

**Parameters** `config` – Configuration object used to configure a feature store.

## 3.2 Redshift Source

```
class feast.infra.offline_stores.redshift_source.RedshiftSource(event_timestamp_column:
                                                                Optional[str] = "", table:
                                                                Optional[str] = None, schema:
                                                                Optional[str] = None,
                                                                created_timestamp_column:
                                                                Optional[str] = "",
                                                                field_mapping:
                                                                Optional[Dict[str, str]] = None,
                                                                date_partition_column:
                                                                Optional[str] = "", query:
                                                                Optional[str] = None)
```

**static from\_proto**(*data\_source*: feast.core.DataSource\_pb2.DataSource)  
Creates a RedshiftSource from a protobuf representation of a RedshiftSource.

**Parameters** *data\_source* – A protobuf representation of a RedshiftSource

**Returns** A RedshiftSource object based on the *data\_source* protobuf.

**get\_table\_column\_names\_and\_types**(*config*: feast.repo\_config.RepoConfig) → Iterable[Tuple[str, str]]  
Returns a mapping of column names to types for this Redshift source.

**Parameters** *config* – A RepoConfig describing the feature repo

**get\_table\_query\_string**() → str  
Returns a string that can directly be used to reference this table in SQL.

**property query**  
Returns the Redshift options of this Redshift source.

**property redshift\_options**  
Returns the Redshift options of this Redshift source.

**property schema**  
Returns the schema of this Redshift source.

**static source\_datatype\_to\_feast\_value\_type**() → Callable[[str], feast.value\_type.ValueType]  
Returns the callable method that returns Feast type given the raw column type.

**property table**  
Returns the table of this Redshift source.

**to\_proto**() → feast.core.DataSource\_pb2.DataSource  
Converts a RedshiftSource object to its protobuf representation.

**Returns** A DataSourceProto object.

**validate**(*config*: feast.repo\_config.RepoConfig)  
Validates the underlying data source.

**Parameters** *config* – Configuration object used to configure a feature store.

### 3.3 File Source

```
class feast.infra.offline_stores.file_source.FileSource(event_timestamp_column: Optional[str] =
    ", file_url: Optional[str] = None, path:
    Optional[str] = None, file_format:
    Optional[feast.data_format.FileFormat] =
    None, created_timestamp_column:
    Optional[str] = ", field_mapping:
    Optional[Dict[str, str]] = None,
    date_partition_column: Optional[str] = ",
    s3_endpoint_override: Optional[str] =
    None)
```

**property file\_options**

Returns the file options of this data source

**static from\_proto**(data\_source: feast.core.DataSource\_pb2.DataSource)

Converts data source config in protobuf spec to a DataSource class object.

**Parameters data\_source** – A protobuf representation of a DataSource.

**Returns** A DataSource class object.

**Raises ValueError** – The type of DataSource could not be identified.

**get\_table\_column\_names\_and\_types**(config: feast.repo\_config.RepoConfig) → Iterable[Tuple[str, str]]

Returns the list of column names and raw column types.

**Parameters config** – Configuration object used to configure a feature store.

**property path**

Returns the file path of this feature data source

**static source\_datatype\_to\_feast\_value\_type**() → Callable[[str], feast.value\_type.ValueType]

Returns the callable method that returns Feast type given the raw column type.

**to\_proto**() → feast.core.DataSource\_pb2.DataSource

Converts an DataSourceProto object to its protobuf representation.

**validate**(config: feast.repo\_config.RepoConfig)

Validates the underlying data source.

**Parameters config** – Configuration object used to configure a feature store.



## ENTITY

```
class feast.entity.Entity(name: str, value_type: feast.value_type.ValueType = ValueType.UNKNOWN,  
                           description: str = "", join_key: Optional[str] = None, labels: Optional[Dict[str,  
str]] = None)
```

Represents a collection of entities and associated metadata.

### Parameters

- **name** – Name of the entity.
- **value\_type** (*optional*) – The type of the entity, such as string or float.
- **description** (*optional*) – Additional information to describe the entity.
- **join\_key** (*optional*) – A property that uniquely identifies different entities within the collection. Used as a key for joining entities with their associated features. If not specified, defaults to the name of the entity.
- **labels** (*optional*) – User-defined metadata in dictionary form.

**property created\_timestamp:** `Optional[datetime.datetime]`

Gets the created\_timestamp of this entity.

**property description:** `str`

Gets the description of this entity.

**classmethod from\_dict**(*entity\_dict*)

Creates an entity from a dict.

**Parameters** **entity\_dict** – A dict representation of an entity.

**Returns** An EntityV2 object based on the entity dict.

**classmethod from\_proto**(*entity\_proto: feast.core.Entity\_pb2.Entity*)

Creates an entity from a protobuf representation of an entity.

**Parameters** **entity\_proto** – A protobuf representation of an entity.

**Returns** An EntityV2 object based on the entity protobuf.

**classmethod from\_yaml**(*yaml: str*)

Creates an entity from a YAML string body or a file path.

**Parameters** **yaml** – Either a file path containing a yaml file or a YAML string.

**Returns** An EntityV2 object based on the YAML file.

**is\_valid**()

Validates the state of this entity locally.

**Raises** **ValueError** – The entity does not have a name or does not have a type.

**property join\_key:** `str`

Gets the join key of this entity.

**property labels:** `Dict[str, str]`

Gets the labels of this entity.

**property last\_updated\_timestamp:** `Optional[datetime.datetime]`

Gets the last\_updated\_timestamp of this entity.

**property name:** `str`

Gets the name of this entity.

**to\_dict()** → `Dict`

Converts entity to dict.

**Returns** Dictionary object representation of entity.

**to\_proto()** → `feast.core.Entity_pb2.Entity`

Converts an entity object to its protobuf representation.

**Returns** An EntityV2Proto protobuf.

**to\_spec\_proto()** → `feast.core.Entity_pb2.EntitySpecV2`

Converts an EntityV2 object to its protobuf representation. Used when passing EntitySpecV2 object to Feast request.

**Returns** An EntitySpecV2 protobuf.

**to\_yaml()**

Converts an entity to a YAML string.

**Returns** An entity string returned in YAML format.

**property value\_type:** `feast.value_type.ValueType`

Gets the type of this entity.

## FEATURE VIEW

```
class feast.feature_view.FeatureView(name: str, entities: List[str], ttl:
    Union[google.protobuf.duration_pb2.Duration, datetime.timedelta],
    input: Optional[feast.data_source.DataSource] = None,
    batch_source: Optional[feast.data_source.DataSource] = None,
    stream_source: Optional[feast.data_source.DataSource] = None,
    features: Optional[List[feast.feature.Feature]] = None, tags:
    Optional[Dict[str, str]] = None, online: bool = True)
```

A FeatureView defines a logical grouping of serveable features.

### Parameters

- **name** – Name of the group of features.
- **entities** – The entities to which this group of features is associated.
- **ttl** – The amount of time this group of features lives. A ttl of 0 indicates that this group of features lives forever. Note that large ttl's or a ttl of 0 can result in extremely computationally intensive queries.
- **input** – The source of data where this group of features is stored.
- **batch\_source** (*optional*) – The batch source of data where this group of features is stored.
- **stream\_source** (*optional*) – The stream source of data where this group of features is stored.
- **features** (*optional*) – The set of features defined as part of this FeatureView.
- **tags** (*optional*) – A dictionary of key-value pairs used for organizing FeatureViews.

### ensure\_valid()

Validates the state of this feature view locally.

**Raises** **ValueError** – The feature view does not have a name or does not have entities.

### classmethod from\_proto(feature\_view\_proto: feast.core.FeatureView\_pb2.FeatureView)

Creates a feature view from a protobuf representation of a feature view.

**Parameters** **feature\_view\_proto** – A protobuf representation of a feature view.

**Returns** A FeatureViewProto object based on the feature view protobuf.

### property most\_recent\_end\_time: Optional[datetime.datetime]

Retrieves the latest time up to which the feature view has been materialized.

**Returns** The latest time, or None if the feature view has not been materialized.

### to\_proto() → feast.core.FeatureView\_pb2.FeatureView

Converts a feature view object to its protobuf representation.

**Returns** A FeatureViewProto protobuf.

**with\_join\_key\_map**(*join\_key\_map*: Dict[str, str])

Sets the `join_key_map` by returning a copy of this feature view with that field set. This `join_key` mapping operation is only used as part of query operations and will not modify the underlying FeatureView.

**Parameters** `join_key_map` – A map of join keys in which the left is the `join_key` that corresponds with the feature data and the right corresponds with the entity data.

**Returns** A copy of this FeatureView with the `join_key_map` replaced with the ‘`join_key_map`’ input.

### Examples

Join a location feature data table to both the origin column and destination column of the entity data.

```
temperatures_feature_service = FeatureService( name="temperatures", features=[
    location_stats_feature_view .with_name("origin_stats") .with_join_key_map(
        {"location_id": "origin_id"}
    ),
    location_stats_feature_view .with_name("destination_stats") .with_join_key_map(
        {"location_id": "destination_id"}
    ),
],
)
```

**with\_name**(*name*: str)

Renames this feature view by returning a copy of this feature view with an alias set for the feature view name. This rename operation is only used as part of query operations and will not modify the underlying FeatureView.

**Parameters** `name` – Name to assign to the FeatureView copy.

**Returns** A copy of this FeatureView with the name replaced with the ‘`name`’ input.

**with\_projection**(*feature\_view\_projection*: feast.feature\_view\_projection.FeatureViewProjection)

Sets the feature view projection by returning a copy of this feature view with its projection set to the given projection. A projection is an object that stores the modifications to a feature view that is used during query operations.

**Parameters** `feature_view_projection` – The FeatureViewProjection object to link to this OnDemandFeatureView.

**Returns** A copy of this FeatureView with its projection replaced with the ‘`feature_view_projection`’ argument.



## ON DEMAND FEATURE VIEW

```
class feast.on_demand_feature_view.OnDemandFeatureView(name: str, features:  
                                                    List[feast.feature.Feature], inputs: Dict[str,  
                                                    Union[feast.feature_view.FeatureView,  
                                                    feast.data_source.RequestDataSource]], udf:  
                                                    method)
```

[Experimental] An OnDemandFeatureView defines on demand transformations on existing feature view values and request data.

### Parameters

- **name** – Name of the group of features.
- **features** – Output schema of transformation with feature names
- **inputs** – The input feature views passed into the transform.
- **udf** – User defined transformation function that takes as input pandas dataframes

```
classmethod from_proto(on_demand_feature_view_proto:  
                       feast.core.OnDemandFeatureView_pb2.OnDemandFeatureView)
```

Creates an on demand feature view from a protobuf representation.

**Parameters** **on\_demand\_feature\_view\_proto** – A protobuf representation of an on-demand feature view.

**Returns** A OnDemandFeatureView object based on the on-demand feature view protobuf.

### infer\_features()

Infers the set of features associated to this feature view from the input source.

**Raises** **RegistryInferenceFailure** – The set of features could not be inferred.

```
to_proto() → feast.core.OnDemandFeatureView_pb2.OnDemandFeatureView
```

Converts an on demand feature view object to its protobuf representation.

**Returns** A OnDemandFeatureViewProto protobuf.

```
feast.on_demand_feature_view.on_demand_feature_view(features: List[feast.feature.Feature], inputs:  
                                                    Dict[str, Union[feast.feature_view.FeatureView,  
                                                    feast.data_source.RequestDataSource]])
```

Declare an on-demand feature view

### Parameters

- **features** – Output schema with feature names
- **inputs** – The inputs passed into the transform.

**Returns** An On Demand Feature View.



## FEATURE

```
class feast.feature.Feature(name: str, dtype: feast.value_type.ValueType, labels: Optional[Dict[str, str]] = None)
```

A Feature represents a class of serveable feature.

### Parameters

- **name** – Name of the feature.
- **dtype** – The type of the feature, such as string or float.
- **labels** (*optional*) – User-defined metadata in dictionary form.

```
property dtype: feast.value_type.ValueType
```

Gets the data type of this feature.

```
classmethod from_proto(feature_proto: feast.core.Feature_pb2.FeatureSpecV2)
```

**Parameters** **feature\_proto** – FeatureSpecV2 protobuf object

**Returns** Feature object

```
property labels: Dict[str, str]
```

Gets the labels of this feature.

```
property name
```

Gets the name of this feature.

```
to_proto() → feast.core.Feature_pb2.FeatureSpecV2
```

Converts Feature object to its Protocol Buffer representation.

**Returns** A FeatureSpecProto protobuf.



## FEATURE SERVICE

```
class feast.feature_service.FeatureService(name: str, features:  
                                           List[Union[feast.feature_view.FeatureView,  
                                           feast.on_demand_feature_view.OnDemandFeatureView]],  
                                           tags: Optional[Dict[str, str]] = None, description:  
                                           Optional[str] = None)
```

A feature service is a logical grouping of features for retrieval (training or serving). The features grouped by a feature service may come from any number of feature views.

### Parameters

- **name** – Unique name of the feature service.
- **features** – A list of Features that are grouped as part of this FeatureService. The list may contain Feature Views, Feature Tables, or a subset of either.
- **tags** (*optional*) – A dictionary of key-value pairs used for organizing Feature Services.

**static from\_proto**(feature\_service\_proto: feast.core.FeatureService\_pb2.FeatureService)  
Converts a FeatureServiceProto to a FeatureService object.

**Parameters** **feature\_service\_proto** – A protobuf representation of a FeatureService.

**to\_proto**() → feast.core.FeatureService\_pb2.FeatureService  
Converts a FeatureService to its protobuf representation.

**Returns** A FeatureServiceProto protobuf.



## REGISTRY

```
class feast.registry.Registry(registry_config: Optional[feast.repo_config.RegistryConfig], repo_path: Optional[pathlib.Path])
```

Registry: A registry allows for the management and persistence of feature definitions and related metadata.

```
apply_entity(entity: feast.entity.Entity, project: str, commit: bool = True)
```

Registers a single entity with Feast

**Parameters**

- **entity** – Entity that will be registered
- **project** – Feast project that this entity belongs to
- **commit** – Whether the change should be persisted immediately

```
apply_feature_service(feature_service: feast.feature_service.FeatureService, project: str, commit: bool = True)
```

Registers a single feature service with Feast

**Parameters**

- **feature\_service** – A feature service that will be registered
- **project** – Feast project that this entity belongs to

```
apply_feature_view(feature_view: feast.base_feature_view.BaseFeatureView, project: str, commit: bool = True)
```

Registers a single feature view with Feast

**Parameters**

- **feature\_view** – Feature view that will be registered
- **project** – Feast project that this feature view belongs to
- **commit** – Whether the change should be persisted immediately

```
apply_materialization(feature_view: feast.feature_view.FeatureView, project: str, start_date: datetime.datetime, end_date: datetime.datetime, commit: bool = True)
```

Updates materialization intervals tracked for a single feature view in Feast

**Parameters**

- **feature\_view** – Feature view that will be updated with an additional materialization interval tracked
- **project** – Feast project that this feature view belongs to
- **start\_date** (*datetime*) – Start date of the materialization interval to track
- **end\_date** (*datetime*) – End date of the materialization interval to track

- **commit** – Whether the change should be persisted immediately

**commit()**

Commits the state of the registry cache to the remote registry store.

**delete\_entity**(*name: str, project: str, commit: bool = True*)

Deletes an entity or raises an exception if not found.

### Parameters

- **name** – Name of entity
- **project** – Feast project that this entity belongs to
- **commit** – Whether the change should be persisted immediately

**delete\_feature\_service**(*name: str, project: str, commit: bool = True*)

Deletes a feature service or raises an exception if not found.

### Parameters

- **name** – Name of feature service
- **project** – Feast project that this feature service belongs to
- **commit** – Whether the change should be persisted immediately

**delete\_feature\_view**(*name: str, project: str, commit: bool = True*)

Deletes a feature view or raises an exception if not found.

### Parameters

- **name** – Name of feature view
- **project** – Feast project that this feature view belongs to
- **commit** – Whether the change should be persisted immediately

**get\_entity**(*name: str, project: str, allow\_cache: bool = False*) → `feast.entity.Entity`

Retrieves an entity.

### Parameters

- **name** – Name of entity
- **project** – Feast project that this entity belongs to
- **allow\_cache** – Whether to allow returning this entity from a cached registry

**Returns** Returns either the specified entity, or raises an exception if none is found

**get\_feature\_service**(*name: str, project: str, allow\_cache: bool = False*) →  
*feast.feature\_service.FeatureService*

Retrieves a feature service.

### Parameters

- **name** – Name of feature service
- **project** – Feast project that this feature service belongs to
- **allow\_cache** – Whether to allow returning this feature service from a cached registry

**Returns** Returns either the specified feature service, or raises an exception if none is found

**get\_feature\_view**(*name: str, project: str, allow\_cache: bool = False*) → `feast.feature_view.FeatureView`

Retrieves a feature view.

### Parameters



- **name** – Name of feature view
- **project** – Feast project that this feature view belongs to
- **allow\_cache** – Allow returning feature view from the cached registry

**Returns** Returns either the specified feature view, or raises an exception if none is found

**get\_on\_demand\_feature\_view**(*name: str, project: str, allow\_cache: bool = False*) → *feast.on\_demand\_feature\_view.OnDemandFeatureView*

Retrieves an on demand feature view.

#### Parameters

- **name** – Name of on demand feature view
- **project** – Feast project that this on demand feature belongs to

**Returns** Returns either the specified on demand feature view, or raises an exception if none is found

**list\_entities**(*project: str, allow\_cache: bool = False*) → List[*feast.entity.Entity*]

Retrieve a list of entities from the registry

#### Parameters

- **allow\_cache** – Whether to allow returning entities from a cached registry
- **project** – Filter entities based on project name

**Returns** List of entities

**list\_feature\_services**(*project: str, allow\_cache: bool = False*) → List[*feast.feature\_service.FeatureService*]

Retrieve a list of feature services from the registry

#### Parameters

- **allow\_cache** – Whether to allow returning entities from a cached registry
- **project** – Filter entities based on project name

**Returns** List of feature services

**list\_feature\_views**(*project: str, allow\_cache: bool = False*) → List[*feast.feature\_view.FeatureView*]

Retrieve a list of feature views from the registry

#### Parameters

- **allow\_cache** – Allow returning feature views from the cached registry
- **project** – Filter feature views based on project name

**Returns** List of feature views

**list\_on\_demand\_feature\_views**(*project: str, allow\_cache: bool = False*) → List[*feast.on\_demand\_feature\_view.OnDemandFeatureView*]

Retrieve a list of on demand feature views from the registry

#### Parameters

- **project** – Filter on demand feature views based on project name
- **allow\_cache** – Whether to allow returning on demand feature views from a cached registry

**Returns** List of on demand feature views

**list\_request\_feature\_views**(*project: str, allow\_cache: bool = False*) →  
List[feast.request\_feature\_view.RequestFeatureView]

Retrieve a list of request feature views from the registry

**Parameters**

- **allow\_cache** – Allow returning feature views from the cached registry
- **project** – Filter feature views based on project name

**Returns** List of feature views

**refresh**()

Refreshes the state of the registry cache by fetching the registry state from the remote registry store.

**teardown**()

Tears down (removes) the registry.

**to\_dict**(*project: str*) → Dict[str, List[Any]]

Returns a dictionary representation of the registry contents for the specified project.

For each list in the dictionary, the elements are sorted by name, so this method can be used to compare two registries.

**Parameters project** – Feast project to convert to a dict

## PROVIDER

```
class feast.infra.provider.Provider(config: feast.repo_config.RepoConfig)
```

```
get_feature_server_endpoint() → Optional[str]
```

Returns endpoint for the feature server, if it exists.

```
ingest_df(feature_view: feast.feature_view.FeatureView, entities: List[feast.entity.Entity], df: pandas.core.frame.DataFrame)
```

Ingests a DataFrame directly into the online store

```
abstract online_read(config: feast.repo_config.RepoConfig, table: feast.feature_view.FeatureView, entity_keys: List[feast.types.EntityKey_pb2.EntityKey], requested_features: Optional[List[str]] = None) → List[Tuple[Optional[datetime.datetime], Optional[Dict[str, feast.types.Value_pb2.Value]]]]
```

Read feature values given an Entity Key. This is a low level interface, not expected to be used by the users directly.

**Returns** Data is returned as a list, one item per entity key. Each item in the list is a tuple of event\_ts for the row, and the feature data as a dict from feature names to values. Values are returned as Value proto message.

```
abstract online_write_batch(config: feast.repo_config.RepoConfig, table: feast.feature_view.FeatureView, data: List[Tuple[feast.types.EntityKey_pb2.EntityKey, Dict[str, feast.types.Value_pb2.Value], datetime.datetime, Optional[datetime.datetime]]], progress: Optional[Callable[[int], Any]]) → None
```

Write a batch of feature rows to the online store. This is a low level interface, not expected to be used by the users directly.

If a tz-naive timestamp is passed to this method, it is assumed to be UTC.

#### Parameters

- **config** – The RepoConfig for the current FeatureStore.
- **table** – Feast FeatureView
- **data** – a list of quadruplets containing Feature data. Each quadruplet contains an Entity Key, a dict containing feature values, an event timestamp for the row, and the created timestamp for the row if it exists.
- **progress** – Optional function to be called once every mini-batch of rows is written to the online store. Can be used to display progress.

**abstract teardown\_infra**(*project: str, tables: Sequence[feast.feature\_view.FeatureView], entities: Sequence[feast.entity.Entity]*)

Tear down all cloud resources for a repo.

**Parameters**

- **project** – Feast project to which tables belong
- **tables** – Tables that are declared in the feature repo.
- **entities** – Entities that are declared in the feature repo.

**abstract update\_infra**(*project: str, tables\_to\_delete: Sequence[feast.feature\_view.FeatureView], tables\_to\_keep: Sequence[feast.feature\_view.FeatureView], entities\_to\_delete: Sequence[feast.entity.Entity], entities\_to\_keep: Sequence[feast.entity.Entity], partial: bool*)

Reconcile cloud resources with the objects declared in the feature repo.

**Parameters**

- **project** – Project to which tables belong
- **tables\_to\_delete** – Tables that were deleted from the feature repo, so provider needs to clean up the corresponding cloud resources.
- **tables\_to\_keep** – Tables that are still in the feature repo. Depending on implementation, provider may or may not need to update the corresponding resources.
- **entities\_to\_delete** – Entities that were deleted from the feature repo, so provider needs to clean up the corresponding cloud resources.
- **entities\_to\_keep** – Entities that are still in the feature repo. Depending on implementation, provider may or may not need to update the corresponding resources.
- **partial** – if true, then tables\_to\_delete and tables\_to\_keep are *not* exhaustive lists. There may be other tables that are not touched by this update.

## 10.1 Passthrough Provider

**class** `feast.infra.passthrough_provider.PassthroughProvider`(*config: feast.repo\_config.RepoConfig*)

The Passthrough provider delegates all operations to the underlying online and offline stores.

**ingest\_df**(*feature\_view: feast.feature\_view.FeatureView, entities: List[feast.entity.Entity], df: pandas.core.frame.DataFrame*)

Ingests a DataFrame directly into the online store

**online\_read**(*config: feast.repo\_config.RepoConfig, table: feast.feature\_view.FeatureView, entity\_keys: List[feast.types.EntityKey\_pb2.EntityKey], requested\_features: List[str] = None*) → List[Tuple[Optional[datetime.datetime], Optional[Dict[str, feast.types.Value\_pb2.Value]]]]

Read feature values given an Entity Key. This is a low level interface, not expected to be used by the users directly.

**Returns** Data is returned as a list, one item per entity key. Each item in the list is a tuple of event\_ts for the row, and the feature data as a dict from feature names to values. Values are returned as Value proto message.

**online\_write\_batch**(*config: feast.repo\_config.RepoConfig, table: feast.feature\_view.FeatureView, data: List[Tuple[feast.types.EntityKey\_pb2.EntityKey, Dict[str, feast.types.Value\_pb2.Value], datetime.datetime, Optional[datetime.datetime]]], progress: Optional[Callable[[int], Any]]*) → None

Write a batch of feature rows to the online store. This is a low level interface, not expected to be used by the users directly.

If a tz-naive timestamp is passed to this method, it is assumed to be UTC.

#### Parameters

- **config** – The RepoConfig for the current FeatureStore.
- **table** – Feast FeatureView
- **data** – a list of quadruplets containing Feature data. Each quadruplet contains an Entity Key, a dict containing feature values, an event timestamp for the row, and the created timestamp for the row if it exists.
- **progress** – Optional function to be called once every mini-batch of rows is written to the online store. Can be used to display progress.

**teardown\_infra**(*project: str, tables: Sequence[feast.feature\_view.FeatureView], entities: Sequence[feast.entity.Entity]*) → None

Tear down all cloud resources for a repo.

#### Parameters

- **project** – Feast project to which tables belong
- **tables** – Tables that are declared in the feature repo.
- **entities** – Entities that are declared in the feature repo.

**update\_infra**(*project: str, tables\_to\_delete: Sequence[feast.feature\_view.FeatureView], tables\_to\_keep: Sequence[feast.feature\_view.FeatureView], entities\_to\_delete: Sequence[feast.entity.Entity], entities\_to\_keep: Sequence[feast.entity.Entity], partial: bool*)

Reconcile cloud resources with the objects declared in the feature repo.

#### Parameters

- **project** – Project to which tables belong
- **tables\_to\_delete** – Tables that were deleted from the feature repo, so provider needs to clean up the corresponding cloud resources.
- **tables\_to\_keep** – Tables that are still in the feature repo. Depending on implementation, provider may or may not need to update the corresponding resources.
- **entities\_to\_delete** – Entities that were deleted from the feature repo, so provider needs to clean up the corresponding cloud resources.
- **entities\_to\_keep** – Entities that are still in the feature repo. Depending on implementation, provider may or may not need to update the corresponding resources.
- **partial** – if true, then tables\_to\_delete and tables\_to\_keep are *not* exhaustive lists. There may be other tables that are not touched by this update.

## 10.2 Local Provider

**class** `feast.infra.local.LocalProvider`(*config: feast.repo\_config.RepoConfig*)  
This class only exists for backwards compatibility.

## 10.3 GCP Provider

**class** `feast.infra.gcp.GcpProvider`(*config: feast.repo\_config.RepoConfig*)  
This class only exists for backwards compatibility.

## 10.4 AWS Provider

**class** `feast.infra.aws.AwsProvider`(*config: feast.repo\_config.RepoConfig*)

**get\_feature\_server\_endpoint**() → Optional[str]

Returns endpoint for the feature server, if it exists.

**teardown\_infra**(*project: str, tables: Sequence[feast.feature\_view.FeatureView], entities: Sequence[feast.entity.Entity]*) → None

Tear down all cloud resources for a repo.

### Parameters

- **project** – Feast project to which tables belong
- **tables** – Tables that are declared in the feature repo.
- **entities** – Entities that are declared in the feature repo.

**update\_infra**(*project: str, tables\_to\_delete: Sequence[feast.feature\_view.FeatureView], tables\_to\_keep: Sequence[feast.feature\_view.FeatureView], entities\_to\_delete: Sequence[feast.entity.Entity], entities\_to\_keep: Sequence[feast.entity.Entity], partial: bool*)

Reconcile cloud resources with the objects declared in the feature repo.

### Parameters

- **project** – Project to which tables belong
- **tables\_to\_delete** – Tables that were deleted from the feature repo, so provider needs to clean up the corresponding cloud resources.
- **tables\_to\_keep** – Tables that are still in the feature repo. Depending on implementation, provider may or may not need to update the corresponding resources.
- **entities\_to\_delete** – Entities that were deleted from the feature repo, so provider needs to clean up the corresponding cloud resources.
- **entities\_to\_keep** – Entities that are still in the feature repo. Depending on implementation, provider may or may not need to update the corresponding resources.
- **partial** – if true, then `tables_to_delete` and `tables_to_keep` are *not* exhaustive lists. There may be other tables that are not touched by this update.

## OFFLINE STORE

**class** `feast.infra.offline_stores.offline_store.OfflineStore`

OfflineStore is an object used for all interaction between Feast and the service used for offline storage of features.

```
abstract static pull_latest_from_table_or_query(config: feast.repo_config.RepoConfig,  
data_source: feast.data_source.DataSource,  
join_key_columns: List[str],  
feature_name_columns: List[str],  
event_timestamp_column: str,  
created_timestamp_column: Optional[str],  
start_date: datetime.datetime, end_date:  
datetime.datetime) →  
feast.infra.offline_stores.offline_store.RetrievalJob
```

Note that `join_key_columns`, `feature_name_columns`, `event_timestamp_column`, and `created_timestamp_column` have all already been mapped to column names of the source table and those column names are the values passed into this function.

**class** `feast.infra.offline_stores.offline_store.RetrievalJob`

RetrievalJob is used to manage the execution of a historical feature retrieval

**to\_arrow**() → `pyarrow.lib.Table`  
Return dataset as pyarrow Table synchronously

**to\_df**() → `pandas.core.frame.DataFrame`  
Return dataset as Pandas DataFrame synchronously including on demand transforms

### 11.1 File Offline Store

**class** `feast.infra.offline_stores.file.FileOfflineStore`

```
static pull_latest_from_table_or_query(config: feast.repo_config.RepoConfig, data_source:  
feast.data_source.DataSource, join_key_columns: List[str],  
feature_name_columns: List[str],  
event_timestamp_column: str, created_timestamp_column:  
Optional[str], start_date: datetime.datetime, end_date:  
datetime.datetime) →  
feast.infra.offline_stores.offline_store.RetrievalJob
```

Note that `join_key_columns`, `feature_name_columns`, `event_timestamp_column`, and `created_timestamp_column` have all already been mapped to column names of the source table and those column names are the values passed into this function.

```
class feast.infra.offline_stores.file.FileOfflineStoreConfig(*, type: typing_extensions.Literal[file] = 'file')
```

Offline store config for local (file-based) store

**type:** `typing_extensions.Literal[file]`

Offline store type selector

```
class feast.infra.offline_stores.file.FileRetrievalJob(evaluation_function: Callable, full_feature_names: bool, on_demand_feature_views: Optional[List[feast.on_demand_feature_view.OnDemandFeatureView]] = None)
```

## 11.2 BigQuery Offline Store

```
class feast.infra.offline_stores.bigquery.BigQueryOfflineStore
```

```
    static pull_latest_from_table_or_query(config: feast.repo_config.RepoConfig, data_source: feast.data_source.DataSource, join_key_columns: List[str], feature_name_columns: List[str], event_timestamp_column: str, created_timestamp_column: Optional[str], start_date: datetime.datetime, end_date: datetime.datetime) → feast.infra.offline_stores.offline_store.RetrievalJob
```

Note that `join_key_columns`, `feature_name_columns`, `event_timestamp_column`, and `created_timestamp_column` have all already been mapped to column names of the source table and those column names are the values passed into this function.

```
class feast.infra.offline_stores.bigquery.BigQueryOfflineStoreConfig(*, type: typing_extensions.Literal[bigquery] = 'bigquery', dataset: pydantic.types.StrictStr = 'feast', project_id: pydantic.types.StrictStr = None, location: pydantic.types.StrictStr = None)
```

Offline store config for GCP BigQuery

**dataset:** `pydantic.types.StrictStr`

(optional) BigQuery Dataset name for temporary tables

**location:** `Optional[pydantic.types.StrictStr]`

(optional) GCP location name used for the BigQuery offline store. Examples of location names include US, EU, us-central1, us-west4. If a location is not specified, the location defaults to the US multi-regional location. For more information on BigQuery data locations see: <https://cloud.google.com/bigquery/docs/locations>

**project\_id:** `Optional[pydantic.types.StrictStr]`

(optional) GCP project name used for the BigQuery offline store

**type:** `typing_extensions.Literal[bigquery]`

Offline store type selector



```
class feast.infra.offline_stores.bigquery.BigQueryRetrievalJob(query: Union[str, Callable[[],
    AbstractContextManager[str]]],
    client:
        google.cloud.bigquery.client.Client,
    config:
        feast.repo_config.RepoConfig,
    full_feature_names: bool,
    on_demand_feature_views: Op-
        tional[List[feast.on_demand_feature_view.OnDemand
            = None)
```

```
to_bigquery(job_config: Optional[google.cloud.bigquery.job.query.QueryJobConfig] = None, timeout: int
    = 1800, retry_cadence: int = 10) → Optional[str]
```

Triggers the execution of a historical feature retrieval query and exports the results to a BigQuery table. Runs for a maximum amount of time specified by the timeout parameter (defaulting to 30 minutes).

#### Parameters

- **job\_config** – An optional `bigquery.QueryJobConfig` to specify options like destination table, dry run, etc.
- **timeout** – An optional number of seconds for setting the time limit of the `QueryJob`.
- **retry\_cadence** – An optional number of seconds for setting how long the job should be checked for completion.

**Returns** Returns the destination table name or returns `None` if `job_config.dry_run` is `True`.

```
to_sql() → str
```

Returns the SQL query that will be executed in BigQuery to build the historical feature table.

```
feast.infra.offline_stores.bigquery.block_until_done(client: google.cloud.bigquery.client.Client,
    bq_job:
        Union[google.cloud.bigquery.job.query.QueryJob,
            google.cloud.bigquery.job.load.LoadJob],
    timeout: int = 1800, retry_cadence: float = 1)
```

Waits for `bq_job` to finish running, up to a maximum amount of time specified by the timeout parameter (defaulting to 30 minutes).

#### Parameters

- **client** – A `bigquery.client.Client` to monitor the `bq_job`.
- **bq\_job** – The `bigquery.job.QueryJob` that blocks until done running.
- **timeout** – An optional number of seconds for setting the time limit of the job.
- **retry\_cadence** – An optional number of seconds for setting how long the job should be checked for completion.

#### Raises

- **BigQueryJobStillRunning** exception if the function has blocked longer than 30 minutes. –
- **BigQueryJobCancelled** exception to signify when that the job has been cancelled (i.e. from timeout or `KeyboardInterrupt`) –

## 11.3 Redshift Offline Store

**class** `feast.infra.offline_stores.redshift.RedshiftOfflineStore`

```
static pull_latest_from_table_or_query(config: feast.repo_config.RepoConfig, data_source:
    feast.data_source.DataSource, join_key_columns: List[str],
    feature_name_columns: List[str],
    event_timestamp_column: str, created_timestamp_column:
    Optional[str], start_date: datetime.datetime, end_date:
    datetime.datetime) →
    feast.infra.offline_stores.offline_store.RetrievalJob
```

Note that `join_key_columns`, `feature_name_columns`, `event_timestamp_column`, and `created_timestamp_column` have all already been mapped to column names of the source table and those column names are the values passed into this function.

```
class feast.infra.offline_stores.redshift.RedshiftOfflineStoreConfig(*, type: typing_extensions.Literal[redshift]
    = 'redshift', cluster_id: pydantic.types.StrictStr,
    region: pydantic.types.StrictStr,
    user: pydantic.types.StrictStr,
    database: pydantic.types.StrictStr,
    s3_staging_location: pydantic.types.StrictStr,
    iam_role: pydantic.types.StrictStr)
```

Offline store config for AWS Redshift

**cluster\_id:** `pydantic.types.StrictStr`  
Redshift cluster identifier

**database:** `pydantic.types.StrictStr`  
Redshift database name

**iam\_role:** `pydantic.types.StrictStr`  
IAM Role for Redshift, granting it access to S3

**region:** `pydantic.types.StrictStr`  
Redshift cluster's AWS region

**s3\_staging\_location:** `pydantic.types.StrictStr`  
S3 path for importing & exporting data to Redshift

**type:** `typing_extensions.Literal[redshift]`  
Offline store type selector

**user:** `pydantic.types.StrictStr`  
Redshift user name

```
class feast.infra.offline_stores.redshift.RedshiftRetrievalJob(query: Union[str, Callable[[],  
AbstractContextManager[str]]],  
redshift_client, s3_resource,  
config:  
feast.repo_config.RepoConfig,  
full_feature_names: bool,  
on_demand_feature_views: Op-  
tional[List[feast.on_demand_feature_view.OnDemand  
= None])
```

```
to_redshift(table_name: str) → None  
Save dataset as a new Redshift table
```

```
to_s3() → str  
Export dataset to S3 in Parquet format and return path
```



## ONLINE STORE

**class** `feast.infra.online_stores.online_store.OnlineStore`

OnlineStore is an object used for all interaction between Feast and the service used for online storage of features.

**abstract online\_read**(*config: feast.repo\_config.RepoConfig, table: feast.feature\_view.FeatureView, entity\_keys: List[feast.types.EntityKey\_pb2.EntityKey], requested\_features: Optional[List[str]] = None*) → List[Tuple[Optional[datetime.datetime], Optional[Dict[str, feast.types.Value\_pb2.Value]]]]

Read feature values given an Entity Key. This is a low level interface, not expected to be used by the users directly.

### Parameters

- **config** – The RepoConfig for the current FeatureStore.
- **table** – Feast FeatureView
- **entity\_keys** – a list of entity keys that should be read from the FeatureStore.
- **requested\_features** – (Optional) A subset of the features that should be read from the FeatureStore.

**Returns** Data is returned as a list, one item per entity key. Each item in the list is a tuple of event\_ts for the row, and the feature data as a dict from feature names to values. Values are returned as Value proto message.

**abstract online\_write\_batch**(*config: feast.repo\_config.RepoConfig, table: feast.feature\_view.FeatureView, data: List[Tuple[feast.types.EntityKey\_pb2.EntityKey, Dict[str, feast.types.Value\_pb2.Value], datetime.datetime, Optional[datetime.datetime]]], progress: Optional[Callable[[int], Any]]*) → None

Write a batch of feature rows to the online store. This is a low level interface, not expected to be used by the users directly.

If a tz-naive timestamp is passed to this method, it should be assumed to be UTC by implementors.

### Parameters

- **config** – The RepoConfig for the current FeatureStore.
- **table** – Feast FeatureView
- **data** – a list of quadruplets containing Feature data. Each quadruplet contains an Entity Key,
- **values** (a dict containing feature) –

- **row** (an event timestamp for the) –
- **and** –
- **exists.** (the created timestamp for the row if it) –
- **progress** – Optional function to be called once every mini-batch of rows is written to
- **progress.** (the online store. Can be used to display) –

## 12.1 Sqlite Online Store

**class** `feast.infra.online_stores.sqlite.SqliteOnlineStore`

OnlineStore is an object used for all interaction between Feast and the service used for offline storage of features.

**\_conn**

SQLite connection.

**Type** `Optional[sqlite3.Connection]`

**online\_read**(*config: feast.repo\_config.RepoConfig, table: feast.feature\_view.FeatureView, entity\_keys: List[feast.types.EntityKey\_pb2.EntityKey], requested\_features: Optional[List[str]] = None*) → *List[Tuple[Optional[datetime.datetime], Optional[Dict[str, feast.types.Value\_pb2.Value]]]]*

Read feature values given an Entity Key. This is a low level interface, not expected to be used by the users directly.

### Parameters

- **config** – The RepoConfig for the current FeatureStore.
- **table** – Feast FeatureView
- **entity\_keys** – a list of entity keys that should be read from the FeatureStore.
- **requested\_features** – (Optional) A subset of the features that should be read from the FeatureStore.

**Returns** Data is returned as a list, one item per entity key. Each item in the list is a tuple of event\_ts for the row, and the feature data as a dict from feature names to values. Values are returned as Value proto message.

**online\_write\_batch**(*config: feast.repo\_config.RepoConfig, table: feast.feature\_view.FeatureView, data: List[Tuple[feast.types.EntityKey\_pb2.EntityKey, Dict[str, feast.types.Value\_pb2.Value], datetime.datetime, Optional[datetime.datetime]]], progress: Optional[Callable[[int], Any]]*) → *None*

Write a batch of feature rows to the online store. This is a low level interface, not expected to be used by the users directly.

If a tz-naive timestamp is passed to this method, it should be assumed to be UTC by implementors.

### Parameters

- **config** – The RepoConfig for the current FeatureStore.
- **table** – Feast FeatureView
- **data** – a list of quadruplets containing Feature data. Each quadruplet contains an Entity Key,
- **values** (a dict containing feature) –
- **row** (an event timestamp for the) –

- **and** –
- **exists.** (the created timestamp for the row if it) –
- **progress** – Optional function to be called once every mini-batch of rows is written to
- **progress.** (the online store. Can be used to display) –

```
class feast.infra.online_stores.sqlite.SQLiteOnlineStoreConfig(*, type:
                                                                typing_extensions.Literal[sqlite,
                                                                feast.infra.online_stores.sqlite.SQLiteOnlineStore]
                                                                = 'sqlite', path:
                                                                pydantic.types.StrictStr =
                                                                'data/online.db')
```

Online store config for local (SQLite-based) store

**path:** `pydantic.types.StrictStr`  
(optional) Path to sqlite db

**type:** `typing_extensions.Literal[sqlite, feast.infra.online_stores.sqlite.SQLiteOnlineStore]`  
Online store type selector

```
class feast.infra.online_stores.sqlite.SQLiteTable(path: str, name: str)
A Sqlite table managed by Feast.
```

**path**  
The absolute path of the Sqlite file.

**Type** `str`

**name**  
The name of the table.

**Type** `str`

**conn**  
SQLite connection.

**Type** `sqlite3.Connection`

**static from\_proto**(*infra\_object\_proto*: `feast.core.InfraObject_pb2.InfraObject`) → Any  
Returns an `InfraObject` created from a protobuf representation.

**Parameters** `infra_object_proto` – A protobuf representation of an `InfraObject`.

**Raises** `ValueError` – The type of `InfraObject` could not be identified.

**teardown**()  
Tears down the infrastructure object.

**to\_proto**() → `feast.core.InfraObject_pb2.InfraObject`  
Converts an `InfraObject` to its protobuf representation.

**update**()  
Deploys or updates the infrastructure object.

## 12.2 Datastore Online Store

**class** `feast.infra.online_stores.datastore.DatastoreOnlineStore`

OnlineStore is an object used for all interaction between Feast and the service used for offline storage of features.

**online\_read**(*config: feast.repo\_config.RepoConfig, table: feast.feature\_view.FeatureView, entity\_keys: List[feast.types.EntityKey\_pb2.EntityKey], requested\_features: Optional[List[str]] = None*) → List[Tuple[Optional[datetime.datetime], Optional[Dict[str, feast.types.Value\_pb2.Value]]]]

Read feature values given an Entity Key. This is a low level interface, not expected to be used by the users directly.

### Parameters

- **config** – The RepoConfig for the current FeatureStore.
- **table** – Feast FeatureView
- **entity\_keys** – a list of entity keys that should be read from the FeatureStore.
- **requested\_features** – (Optional) A subset of the features that should be read from the FeatureStore.

**Returns** Data is returned as a list, one item per entity key. Each item in the list is a tuple of event\_ts for the row, and the feature data as a dict from feature names to values. Values are returned as Value proto message.

**online\_write\_batch**(*config: feast.repo\_config.RepoConfig, table: feast.feature\_view.FeatureView, data: List[Tuple[feast.types.EntityKey\_pb2.EntityKey, Dict[str, feast.types.Value\_pb2.Value], datetime.datetime, Optional[datetime.datetime]]], progress: Optional[Callable[[int], Any]]*) → None

Write a batch of feature rows to the online store. This is a low level interface, not expected to be used by the users directly.

If a tz-naive timestamp is passed to this method, it should be assumed to be UTC by implementors.

### Parameters

- **config** – The RepoConfig for the current FeatureStore.
- **table** – Feast FeatureView
- **data** – a list of quadruplets containing Feature data. Each quadruplet contains an Entity Key,
- **values** (a dict containing feature) –
- **row** (an event timestamp for the) –
- **and** –
- **exists.** (the created timestamp for the row if it) –
- **progress** – Optional function to be called once every mini-batch of rows is written to
- **progress.** (the online store. Can be used to display) –



```
class feast.infra.online_stores.datastore.DatastoreOnlineStoreConfig(*, type: typing_extensions.Literal[datastore] = 'datastore', project_id: pydantic.types.StrictStr = None, namespace: pydantic.types.StrictStr = None, write_concurrency: pydantic.types.PositiveInt = 40, write_batch_size: pydantic.types.PositiveInt = 50)
```

Online store config for GCP Datastore

**namespace:** `Optional[pydantic.types.StrictStr]`

(optional) Datastore namespace

**project\_id:** `Optional[pydantic.types.StrictStr]`

(optional) GCP Project Id

**type:** `typing_extensions.Literal[datastore]`

Online store type selector

**write\_batch\_size:** `Optional[pydantic.types.PositiveInt]`

(optional) Amount of feature rows per batch being written into Datastore

**write\_concurrency:** `Optional[pydantic.types.PositiveInt]`

(optional) Amount of threads to use when writing batches of feature rows into Datastore

```
class feast.infra.online_stores.datastore.DatastoreTable(project: str, name: str, project_id: Optional[str] = None, namespace: Optional[str] = None)
```

A Datastore table managed by Feast.

**project**

The Feast project of the table.

**Type** `str`

**name**

The name of the table.

**Type** `str`

**project\_id**

The GCP project id.

**Type** `optional`

**namespace**

Datastore namespace.

**Type** `optional`

**client**

Datastore client.

**Type** `google.cloud.datastore.client.Client`

**static from\_proto**(*infra\_object\_proto*: `feast.core.InfraObject_pb2.InfraObject`) → `Any`

Returns an `InfraObject` created from a protobuf representation.

**Parameters** *infra\_object\_proto* – A protobuf representation of an `InfraObject`.

**Raises** `ValueError` – The type of `InfraObject` could not be identified.

**teardown()**

Tears down the infrastructure object.

**to\_proto()** → `feast.core.InfraObject_pb2.InfraObject`

Converts an `InfraObject` to its protobuf representation.

**update()**

Deploys or updates the infrastructure object.

## 12.3 DynamoDB Online Store

**class** `feast.infra.online_stores.dynamodb.DynamoDBOnlineStore`

Online feature store for AWS DynamoDB.

**online\_read**(*config: feast.repo\_config.RepoConfig, table: feast.feature\_view.FeatureView, entity\_keys: List[feast.types.EntityKey\_pb2.EntityKey], requested\_features: Optional[List[str]] = None*) → *List[Tuple[Optional[datetime.datetime], Optional[Dict[str, feast.types.Value\_pb2.Value]]]]*

Read feature values given an Entity Key. This is a low level interface, not expected to be used by the users directly.

### Parameters

- **config** – The `RepoConfig` for the current `FeatureStore`.
- **table** – Feast `FeatureView`
- **entity\_keys** – a list of entity keys that should be read from the `FeatureStore`.
- **requested\_features** – (Optional) A subset of the features that should be read from the `FeatureStore`.

**Returns** Data is returned as a list, one item per entity key. Each item in the list is a tuple of `event_ts` for the row, and the feature data as a dict from feature names to values. Values are returned as `Value` proto message.

**online\_write\_batch**(*config: feast.repo\_config.RepoConfig, table: feast.feature\_view.FeatureView, data: List[Tuple[feast.types.EntityKey\_pb2.EntityKey, Dict[str, feast.types.Value\_pb2.Value], datetime.datetime, Optional[datetime.datetime]]], progress: Optional[Callable[[int], Any]]*) → `None`

Write a batch of feature rows to the online store. This is a low level interface, not expected to be used by the users directly.

If a tz-naive timestamp is passed to this method, it should be assumed to be UTC by implementors.

### Parameters

- **config** – The `RepoConfig` for the current `FeatureStore`.
- **table** – Feast `FeatureView`
- **data** – a list of quadruplets containing Feature data. Each quadruplet contains an Entity Key,
- **values** (a dict containing feature) –
- **row** (an event timestamp for the) –
- **and** –
- **exists.** (the created timestamp for the row if it) –

- **progress** – Optional function to be called once every mini-batch of rows is written to
- **progress.**(*the online store. Can be used to display*)–

```
class feast.infra.online_stores.dynamodb.DynamoDBOnlineStoreConfig(*, type: typing_extensions.Literal[dynamodb] = 'dynamodb', region: pydantic.types.StrictStr)
```

Online store config for DynamoDB store

**region:** `pydantic.types.StrictStr`  
AWS Region Name

**type:** `typing_extensions.Literal[dynamodb]`  
Online store type selector

```
class feast.infra.online_stores.dynamodb.DynamoDBTable(name: str, region: str)
A DynamoDB table managed by Feast.
```

**name**  
The name of the table.

**Type** `str`

**region**  
The region of the table.

**Type** `str`

**static from\_proto**(*infra\_object\_proto: feast.core.InfraObject\_pb2.InfraObject*) → Any  
Returns an InfraObject created from a protobuf representation.

**Parameters** `infra_object_proto` – A protobuf representation of an InfraObject.

**Raises** `ValueError` – The type of InfraObject could not be identified.

**teardown**()  
Tears down the infrastructure object.

**to\_proto**() → `feast.core.InfraObject_pb2.InfraObject`  
Converts an InfraObject to its protobuf representation.

**update**()  
Deploys or updates the infrastructure object.

## 12.4 Redis Online Store

```
class feast.infra.online_stores.redis.RedisOnlineStore
```

**online\_read**(*config: feast.repo\_config.RepoConfig, table: feast.feature\_view.FeatureView, entity\_keys: List[feast.types.EntityKey\_pb2.EntityKey], requested\_features: Optional[List[str]] = None*) → List[Tuple[Optional[datetime.datetime], Optional[Dict[str, feast.types.Value\_pb2.Value]]]]  
Read feature values given an Entity Key. This is a low level interface, not expected to be used by the users directly.

**Parameters**

- **config** – The RepoConfig for the current FeatureStore.
- **table** – Feast FeatureView

- **entity\_keys** – a list of entity keys that should be read from the FeatureStore.
- **requested\_features** – (Optional) A subset of the features that should be read from the FeatureStore.

**Returns** Data is returned as a list, one item per entity key. Each item in the list is a tuple of event\_ts for the row, and the feature data as a dict from feature names to values. Values are returned as Value proto message.

**online\_write\_batch**(*config: feast.repo\_config.RepoConfig, table: feast.feature\_view.FeatureView, data: List[Tuple[feast.types.EntityKey\_pb2.EntityKey, Dict[str, feast.types.Value\_pb2.Value], datetime.datetime, Optional[datetime.datetime]]], progress: Optional[Callable[[int], Any]]*) → None

Write a batch of feature rows to the online store. This is a low level interface, not expected to be used by the users directly.

If a tz-naive timestamp is passed to this method, it should be assumed to be UTC by implementors.

**Parameters**

- **config** – The RepoConfig for the current FeatureStore.
- **table** – Feast FeatureView
- **data** – a list of quadruplets containing Feature data. Each quadruplet contains an Entity Key,
- **values** (a dict containing feature) –
- **row** (an event timestamp for the) –
- **and** –
- **exists.** (the created timestamp for the row if it) –
- **progress** – Optional function to be called once every mini-batch of rows is written to
- **progress.** (the online store. Can be used to display) –

**teardown**(*config: feast.repo\_config.RepoConfig, tables: Sequence[feast.feature\_view.FeatureView], entities: Sequence[feast.entity.Entity]*)

We delete the keys in redis for tables/views being removed.

**update**(*config: feast.repo\_config.RepoConfig, tables\_to\_delete: Sequence[feast.feature\_view.FeatureView], tables\_to\_keep: Sequence[feast.feature\_view.FeatureView], entities\_to\_delete: Sequence[feast.entity.Entity], entities\_to\_keep: Sequence[feast.entity.Entity], partial: bool*)

We delete the keys in redis for tables/views being removed.

```
class feast.infra.online_stores.redis.RedisOnlineStoreConfig(*, type:
    typing_extensions.Literal[redis] =
    'redis', redis_type:
    feast.infra.online_stores.redis.RedisType
    = RedisType.redis,
    connection_string:
    pydantic.types.StrictStr =
    'localhost:6379')
```

Online store config for Redis store

**connection\_string:** pydantic.types.StrictStr

Connection string containing the host, port, and configuration parameters for Redis format: host:port,parameter1,parameter2 eg. redis:6379,db=0

**redis\_type:** *feast.infra.online\_stores.redis.RedisType*

redis or redis\_cluster

**Type** Redis type

**type:** `typing_extensions.Literal[redis]`

Online store type selector

**class** `feast.infra.online_stores.redis.RedisType`(*value*)

An enumeration.



## PYTHON MODULE INDEX

### f

- feast.feature\_service, 25
- feast.infra.aws, 34
- feast.infra.gcp, 34
- feast.infra.local, 34
- feast.infra.offline\_stores.bigquery\_source,  
13
- feast.infra.offline\_stores.file\_source, 15
- feast.infra.offline\_stores.redshift, 38
- feast.infra.offline\_stores.redshift\_source,  
14
- feast.infra.online\_stores.datastore, 44
- feast.infra.online\_stores.dynamodb, 46
- feast.infra.online\_stores.online\_store, 41
- feast.infra.online\_stores.redis, 47
- feast.infra.online\_stores.sqlite, 42
- feast.infra.passthrough\_provider, 32
- feast.infra.provider, 31
- feast.on\_demand\_feature\_view, 21





# INDEX

## Symbols

`_conn` (*feast.infra.online\_stores.sqlite.SQLiteOnlineStore* attribute), 42

## A

`apply()` (*feast.feature\_store.FeatureStore* method), 1  
`apply_entity()` (*feast.registry.Registry* method), 27  
`apply_feature_service()` (*feast.registry.Registry* method), 27  
`apply_feature_view()` (*feast.registry.Registry* method), 27  
`apply_materialization()` (*feast.registry.Registry* method), 27  
`AwsProvider` (class in *feast.infra.aws*), 34

## B

`bigquery_options` (*feast.infra.offline\_stores.bigquery\_source.BigQuerySource* property), 13  
`BigQueryOfflineStore` (class in *feast.infra.offline\_stores.bigquery*), 36  
`BigQueryOfflineStoreConfig` (class in *feast.infra.offline\_stores.bigquery*), 36  
`BigQueryRetrievalJob` (class in *feast.infra.offline\_stores.bigquery*), 36  
`BigQuerySource` (class in *feast.infra.offline\_stores.bigquery\_source*), 13  
`block_until_done()` (in module *feast.infra.offline\_stores.bigquery*), 37

## C

`cache_ttl_seconds` (*feast.repo\_config.RegistryConfig* attribute), 9  
`client` (*feast.infra.online\_stores.datastore.DatastoreTable* attribute), 45  
`cluster_id` (*feast.infra.offline\_stores.redshift.RedshiftOfflineStoreConfig* attribute), 38  
`commit()` (*feast.registry.Registry* method), 28  
`config` (*feast.feature\_store.FeatureStore* attribute), 2  
`conn` (*feast.infra.online\_stores.sqlite.SQLiteTable* attribute), 43

`connection_string` (*feast.infra.online\_stores.redis.RedisOnlineStoreConfig* attribute), 48  
`created_timestamp` (*feast.entity.Entity* property), 17  
`created_timestamp_column` (*feast.data\_source.DataSource* property), 11

## D

`database` (*feast.infra.offline\_stores.redshift.RedshiftOfflineStoreConfig* attribute), 38  
`dataset` (*feast.infra.offline\_stores.bigquery.BigQueryOfflineStoreConfig* attribute), 36  
`DataSource` (class in *feast.data\_source*), 11  
`DatastoreOnlineStore` (class in *feast.infra.online\_stores.datastore*), 44  
`DatastoreOnlineStoreConfig` (class in *feast.infra.online\_stores.datastore*), 44  
`DatastoreTable` (class in *feast.infra.online\_stores.datastore*), 45  
`date_partition_column` (*feast.data\_source.DataSource* property), 11  
`delete_entity()` (*feast.registry.Registry* method), 28  
`delete_feature_service()` (*feast.feature\_store.FeatureStore* method), 2  
`delete_feature_service()` (*feast.registry.Registry* method), 28  
`delete_feature_view()` (*feast.feature\_store.FeatureStore* method), 2  
`delete_feature_view()` (*feast.registry.Registry* method), 28  
`description` (*feast.entity.Entity* property), 17  
`dtype` (*feast.feature.Feature* property), 23  
`DynamoDBOnlineStore` (class in *feast.infra.online\_stores.dynamodb*), 46  
`DynamoDBOnlineStoreConfig` (class in *feast.infra.online\_stores.dynamodb*), 47  
`DynamoDBTable` (class in *feast.infra.online\_stores.dynamodb*), 47

E

ensure\_request\_data\_values\_exist()  
 (*feast.feature\_store.FeatureStore* method),  
 2  
 ensure\_valid() (*feast.feature\_view.FeatureView*  
 method), 19  
 entities (*feast.feature\_store.RepoContents* property), 8  
 Entity (class in *feast.entity*), 17  
 event\_timestamp\_column  
 (*feast.data\_source.DataSource* property),  
 11

F

feast.data\_source  
 module, 11  
 feast.entity  
 module, 17  
 feast.feature  
 module, 23  
 feast.feature\_service  
 module, 25  
 feast.feature\_store  
 module, 1  
 feast.feature\_view  
 module, 19  
 feast.infra.aws  
 module, 34  
 feast.infra.gcp  
 module, 34  
 feast.infra.local  
 module, 34  
 feast.infra.offline\_stores.bigquery  
 module, 36  
 feast.infra.offline\_stores.bigquery\_source  
 module, 13  
 feast.infra.offline\_stores.file  
 module, 35  
 feast.infra.offline\_stores.file\_source  
 module, 15  
 feast.infra.offline\_stores.offline\_store  
 module, 35  
 feast.infra.offline\_stores.redshift  
 module, 38  
 feast.infra.offline\_stores.redshift\_source  
 module, 14  
 feast.infra.online\_stores.datastore  
 module, 44  
 feast.infra.online\_stores.dynamodb  
 module, 46  
 feast.infra.online\_stores.online\_store  
 module, 41  
 feast.infra.online\_stores.redis  
 module, 47  
 feast.infra.online\_stores.sqlite

module, 42  
 feast.infra.passthrough\_provider  
 module, 32  
 feast.infra.provider  
 module, 31  
 feast.on\_demand\_feature\_view  
 module, 21  
 feast.registry  
 module, 27  
 feast.repo\_config  
 module, 9  
 FeastConfigBaseModel (class in *feast.repo\_config*), 9  
 FeastConfigError, 9  
 Feature (class in *feast.feature*), 23  
 feature\_server (*feast.repo\_config.RepoConfig* at-  
 tribute), 9  
 feature\_services (*feast.feature\_store.RepoContents*  
 property), 8  
 feature\_views (*feast.feature\_store.RepoContents* prop-  
 erty), 8  
 FeatureService (class in *feast.feature\_service*), 25  
 FeatureStore (class in *feast.feature\_store*), 1  
 FeatureView (class in *feast.feature\_view*), 19  
 field\_mapping (*feast.data\_source.DataSource* prop-  
 erty), 11  
 file\_options (*feast.infra.offline\_stores.file\_source.FileSource*  
 property), 15  
 FileOfflineStore (class in  
*feast.infra.offline\_stores.file*), 35  
 FileOfflineStoreConfig (class in  
*feast.infra.offline\_stores.file*), 35  
 FileRetrievalJob (class in  
*feast.infra.offline\_stores.file*), 36  
 FileSource (class in *feast.infra.offline\_stores.file\_source*),  
 15  
 flags (*feast.repo\_config.RepoConfig* attribute), 9  
 from\_dict() (*feast.entity.Entity* class method), 17  
 from\_proto() (*feast.data\_source.DataSource* static  
 method), 11  
 from\_proto() (*feast.data\_source.RequestDataSource*  
 static method), 12  
 from\_proto() (*feast.entity.Entity* class method), 17  
 from\_proto() (*feast.feature.Feature* class method), 23  
 from\_proto() (*feast.feature\_service.FeatureService*  
 static method), 25  
 from\_proto() (*feast.feature\_view.FeatureView* class  
 method), 19  
 from\_proto() (*feast.infra.offline\_stores.bigquery\_source.BigQuerySource*  
 static method), 13  
 from\_proto() (*feast.infra.offline\_stores.file\_source.FileSource*  
 static method), 15  
 from\_proto() (*feast.infra.offline\_stores.redshift\_source.RedshiftSource*  
 static method), 14  
 from\_proto() (*feast.infra.online\_stores.datastore.DatastoreTable*

- static method), 45
- from\_proto() (feast.infra.online\_stores.dynamodb.DynamoDBTable method), 15
- static method), 47
- from\_proto() (feast.infra.online\_stores.sqlite.SQLiteTable static method), 43
- from\_proto() (feast.on\_demand\_feature\_view.OnDemandFeatureView class method), 21
- from\_yaml() (feast.entity.Entity class method), 17
- ## G
- GcpProvider (class in feast.infra.gcp), 34
- get\_entity() (feast.feature\_store.FeatureStore method), 2
- get\_entity() (feast.registry.Registry method), 28
- get\_feature\_server\_endpoint() (feast.feature\_store.FeatureStore method), 2
- get\_feature\_server\_endpoint() (feast.infra.aws.AwsProvider method), 34
- get\_feature\_server\_endpoint() (feast.infra.provider.Provider method), 31
- get\_feature\_service() (feast.feature\_store.FeatureStore method), 2
- get\_feature\_service() (feast.registry.Registry method), 28
- get\_feature\_view() (feast.feature\_store.FeatureStore method), 3
- get\_feature\_view() (feast.registry.Registry method), 28
- get\_historical\_features() (feast.feature\_store.FeatureStore method), 3
- get\_needed\_request\_data() (feast.feature\_store.FeatureStore method), 4
- get\_on\_demand\_feature\_view() (feast.feature\_store.FeatureStore method), 4
- get\_on\_demand\_feature\_view() (feast.registry.Registry method), 29
- get\_online\_features() (feast.feature\_store.FeatureStore method), 4
- get\_table\_column\_names\_and\_types() (feast.data\_source.DataSource method), 11
- get\_table\_column\_names\_and\_types() (feast.data\_source.RequestDataSource method), 12
- get\_table\_column\_names\_and\_types() (feast.infra.offline\_stores.bigquery\_source.BigQuerySource method), 13
- get\_table\_column\_names\_and\_types() (feast.infra.offline\_stores.file\_source.FileSource method), 15
- get\_table\_column\_names\_and\_types() (feast.infra.offline\_stores.redshift\_source.RedshiftSource method), 14
- get\_table\_query\_string() (feast.data\_source.DataSource method), 11
- get\_table\_query\_string() (feast.infra.offline\_stores.bigquery\_source.BigQuerySource method), 13
- get\_table\_query\_string() (feast.infra.offline\_stores.redshift\_source.RedshiftSource method), 14
- ## I
- iam\_role (feast.infra.offline\_stores.redshift.RedshiftOfflineStoreConfig attribute), 38
- infer\_features() (feast.on\_demand\_feature\_view.OnDemandFeatureView method), 21
- ingest\_df() (feast.infra.passthrough\_provider.PassthroughProvider method), 32
- ingest\_df() (feast.infra.provider.Provider method), 31
- is\_valid() (feast.entity.Entity method), 17
- ## J
- join\_key (feast.entity.Entity property), 17
- ## L
- labels (feast.entity.Entity property), 18
- labels (feast.feature.Feature property), 23
- last\_updated\_timestamp (feast.entity.Entity property), 18
- list\_entities() (feast.feature\_store.FeatureStore method), 5
- list\_entities() (feast.registry.Registry method), 29
- list\_feature\_services() (feast.feature\_store.FeatureStore method), 5
- list\_feature\_services() (feast.registry.Registry method), 29
- list\_feature\_views() (feast.feature\_store.FeatureStore method), 5
- list\_feature\_views() (feast.registry.Registry method), 29
- list\_on\_demand\_feature\_views() (feast.feature\_store.FeatureStore method), 5
- list\_on\_demand\_feature\_views() (feast.registry.Registry method), 29
- list\_request\_feature\_views() (feast.feature\_store.FeatureStore method), 5

`list_request_feature_views()`  
 (*feast.registry.Registry* method), 29  
*LocalProvider* (class in *feast.infra.local*), 34  
*location* (*feast.infra.offline\_stores.bigquery.BigQueryOfflineStoreConfig* attribute), 36

**M**

`materialize()` (*feast.feature\_store.FeatureStore* method), 5  
`materialize_incremental()`  
 (*feast.feature\_store.FeatureStore* method), 6

**module**

- feast.data\_source*, 11
- feast.entity*, 17
- feast.feature*, 23
- feast.feature\_service*, 25
- feast.feature\_store*, 1
- feast.feature\_view*, 19
- feast.infra.aws*, 34
- feast.infra.gcp*, 34
- feast.infra.local*, 34
- feast.infra.offline\_stores.bigquery*, 36
- feast.infra.offline\_stores.bigquery\_source*, 13
- feast.infra.offline\_stores.file*, 35
- feast.infra.offline\_stores.file\_source*, 15
- feast.infra.offline\_stores.offline\_store*, 35
- feast.infra.offline\_stores.redshift*, 38
- feast.infra.offline\_stores.redshift\_source*, 14
- feast.infra.online\_stores.datastore*, 44
- feast.infra.online\_stores.dynamodb*, 46
- feast.infra.online\_stores.online\_store*, 41
- feast.infra.online\_stores.redis*, 47
- feast.infra.online\_stores.sqlite*, 42
- feast.infra.passthrough\_provider*, 32
- feast.infra.provider*, 31
- feast.on\_demand\_feature\_view*, 21
- feast.registry*, 27
- feast.repo\_config*, 9

`most_recent_end_time`  
 (*feast.feature\_view.FeatureView* property), 19

**N**

`name` (*feast.data\_source.RequestDataSource* property), 12  
`name` (*feast.entity.Entity* property), 18  
`name` (*feast.feature.Feature* property), 23

`name` (*feast.infra.online\_stores.datastore.DatastoreTable* attribute), 45  
`name` (*feast.infra.online\_stores.dynamodb.DynamoDBTable* attribute), 47  
`name` (*feast.infra.online\_stores.sqlite.SQLiteTable* attribute), 43  
`namespace` (*feast.infra.online\_stores.datastore.DatastoreOnlineStoreConfig* attribute), 45  
`namespace` (*feast.infra.online\_stores.datastore.DatastoreTable* attribute), 45

**O**

`offline_store` (*feast.repo\_config.RepoConfig* attribute), 9  
*OfflineStore* (class in *feast.infra.offline\_stores.offline\_store*), 35  
`on_demand_feature_view()` (in *module feast.on\_demand\_feature\_view*), 21  
`on_demand_feature_views`  
 (*feast.feature\_store.RepoContents* property), 8  
*OnDemandFeatureView* (class in *feast.on\_demand\_feature\_view*), 21  
`online_read()` (*feast.infra.online\_stores.datastore.DatastoreOnlineStore* method), 44  
`online_read()` (*feast.infra.online\_stores.dynamodb.DynamoDBOnlineStore* method), 46  
`online_read()` (*feast.infra.online\_stores.online\_store.OnlineStore* method), 41  
`online_read()` (*feast.infra.online\_stores.redis.RedisOnlineStore* method), 47  
`online_read()` (*feast.infra.online\_stores.sqlite.SQLiteOnlineStore* method), 42  
`online_read()` (*feast.infra.passthrough\_provider.PassthroughProvider* method), 32  
`online_read()` (*feast.infra.provider.Provider* method), 31  
`online_store` (*feast.repo\_config.RepoConfig* attribute), 10  
`online_write_batch()`  
 (*feast.infra.online\_stores.datastore.DatastoreOnlineStore* method), 44  
`online_write_batch()`  
 (*feast.infra.online\_stores.dynamodb.DynamoDBOnlineStore* method), 46  
`online_write_batch()`  
 (*feast.infra.online\_stores.online\_store.OnlineStore* method), 41  
`online_write_batch()`  
 (*feast.infra.online\_stores.redis.RedisOnlineStore* method), 48  
`online_write_batch()`  
 (*feast.infra.online\_stores.sqlite.SQLiteOnlineStore* method), 42  
`online_write_batch()`

*(feast.infra.passthrough\_provider.PassthroughProvider method)*, 32  
**online\_write\_batch()** (*feast.infra.provider.Provider method*), 31  
**OnlineStore** (class in *feast.infra.online\_stores.online\_store*), 41  
**P**  
**PassthroughProvider** (class in *feast.infra.passthrough\_provider*), 32  
**path** (*feast.infra.offline\_stores.file\_source.FileSource property*), 15  
**path** (*feast.infra.online\_stores.sqlite.SQLiteOnlineStoreConfig attribute*), 43  
**path** (*feast.infra.online\_stores.sqlite.SQLiteTable attribute*), 43  
**path** (*feast.repo\_config.RegistryConfig attribute*), 9  
**plan()** (*feast.feature\_store.FeatureStore method*), 6  
**project** (*feast.feature\_store.FeatureStore property*), 7  
**project** (*feast.infra.online\_stores.datastore.DatastoreTable attribute*), 45  
**project** (*feast.repo\_config.RepoConfig attribute*), 10  
**project\_id** (*feast.infra.offline\_stores.bigquery.BigQueryOfflineStoreConfig attribute*), 36  
**project\_id** (*feast.infra.online\_stores.datastore.DatastoreTable attribute*), 45  
**project\_id** (*feast.infra.online\_stores.datastore.DatastoreTable attribute*), 45  
**Provider** (class in *feast.infra.provider*), 31  
**provider** (*feast.repo\_config.RepoConfig attribute*), 10  
**pull\_latest\_from\_table\_or\_query()** (*feast.infra.offline\_stores.bigquery.BigQueryOfflineStore static method*), 36  
**pull\_latest\_from\_table\_or\_query()** (*feast.infra.offline\_stores.file.FileOfflineStore static method*), 35  
**pull\_latest\_from\_table\_or\_query()** (*feast.infra.offline\_stores.offline\_store.OfflineStores3 static method*), 35  
**pull\_latest\_from\_table\_or\_query()** (*feast.infra.offline\_stores.redshift.RedshiftOfflineStore static method*), 38  
**Q**  
**query** (*feast.infra.offline\_stores.redshift\_source.RedshiftSource property*), 14  
**R**  
**redis\_type** (*feast.infra.online\_stores.redis.RedisOnlineStoreConfig attribute*), 48  
**RedisOnlineStore** (class in *feast.infra.online\_stores.redis*), 47  
**RedisOnlineStoreConfig** (class in *feast.infra.online\_stores.redis*), 48  
**RedisType** (class in *feast.infra.online\_stores.redis*), 49  
**redshift\_options** (*feast.infra.offline\_stores.redshift\_source.RedshiftSource property*), 14  
**RedshiftOfflineStore** (class in *feast.infra.offline\_stores.redshift*), 38  
**RedshiftOfflineStoreConfig** (class in *feast.infra.offline\_stores.redshift*), 38  
**RedshiftRetrievalJob** (class in *feast.infra.offline\_stores.redshift*), 38  
**RedshiftSource** (class in *feast.infra.offline\_stores.redshift\_source*), 14  
**refresh()** (*feast.registry.Registry method*), 30  
**refresh\_registry()** (*feast.feature\_store.FeatureStore method*), 7  
**region** (*feast.infra.offline\_stores.redshift.RedshiftOfflineStoreConfig attribute*), 38  
**region** (*feast.infra.online\_stores.dynamodb.DynamoDBOnlineStoreConfig attribute*), 47  
**region** (*feast.infra.online\_stores.dynamodb.DynamoDBTable attribute*), 47  
**Registry** (class in *feast.registry*), 27  
**registry** (*feast.feature\_store.FeatureStore property*), 7  
**registry** (*feast.repo\_config.RepoConfig attribute*), 10  
**registry\_store\_type** (*feast.repo\_config.RegistryConfig attribute*), 9  
**RegistryConfig** (class in *feast.repo\_config*), 9  
**repo\_path** (*feast.feature\_store.FeatureStore attribute*), 7  
**RepoConfig** (class in *feast.repo\_config*), 9  
**RepoContents** (class in *feast.feature\_store*), 8  
**request\_feature\_views** (*feast.feature\_store.RepoContents property*), 8  
**RequestDataSource** (class in *feast.data\_source*), 12  
**RetrievalJob** (class in *feast.infra.offline\_stores.offline\_store*), 35  
**S**  
**s3\_staging\_location** (*feast.infra.offline\_stores.redshift.RedshiftOfflineStoreConfig attribute*), 38  
**schema** (*feast.data\_source.RequestDataSource property*), 12  
**schema** (*feast.infra.offline\_stores.redshift\_source.RedshiftSource property*), 14  
**serve()** (*feast.feature\_store.FeatureStore method*), 7  
**serve\_transformations()** (*feast.feature\_store.FeatureStore method*), 8  
**source\_datatype\_to\_feast\_value\_type()** (*feast.data\_source.DataSource static method*), 11  
**source\_datatype\_to\_feast\_value\_type()** (*feast.data\_source.RequestDataSource static method*), 12

*source\_datatype\_to\_feast\_value\_type()* (*feast.infra.offline\_stores.bigquery\_source.BigQuerySource* static method), 13  
*source\_datatype\_to\_feast\_value\_type()* (*feast.infra.offline\_stores.file\_source.FileSource* static method), 15  
*source\_datatype\_to\_feast\_value\_type()* (*feast.infra.offline\_stores.redshift\_source.RedshiftSource* static method), 14  
*SourceType* (class in *feast.data\_source*), 12  
*SQLiteOnlineStore* (class in *feast.infra.online\_stores.sqlite*), 42  
*SQLiteOnlineStoreConfig* (class in *feast.infra.online\_stores.sqlite*), 43  
*SQLiteTable* (class in *feast.infra.online\_stores.sqlite*), 43

**T**

*table* (*feast.infra.offline\_stores.redshift\_source.RedshiftSource* property), 14  
*teardown()* (*feast.feature\_store.FeatureStore* method), 8  
*teardown()* (*feast.infra.online\_stores.datastore.DatastoreTable* method), 46  
*teardown()* (*feast.infra.online\_stores.dynamodb.DynamoDBTable* method), 47  
*teardown()* (*feast.infra.online\_stores.redis.RedisOnlineStore* method), 48  
*teardown()* (*feast.infra.online\_stores.sqlite.SQLiteTable* method), 43  
*teardown()* (*feast.registry.Registry* method), 30  
*teardown\_infra()* (*feast.infra.aws.AwsProvider* method), 34  
*teardown\_infra()* (*feast.infra.passthrough\_provider.PassthroughProvider* method), 33  
*teardown\_infra()* (*feast.infra.provider.Provider* method), 31  
*to\_arrow()* (*feast.infra.offline\_stores.offline\_store.RetrievalJob* method), 35  
*to\_bigquery()* (*feast.infra.offline\_stores.bigquery.BigQueryRetrievalJob* method), 37  
*to\_df()* (*feast.infra.offline\_stores.offline\_store.RetrievalJob* method), 35  
*to\_dict()* (*feast.entity.Entity* method), 18  
*to\_dict()* (*feast.registry.Registry* method), 30  
*to\_proto()* (*feast.data\_source.DataSource* method), 12  
*to\_proto()* (*feast.data\_source.RequestDataSource* method), 12  
*to\_proto()* (*feast.entity.Entity* method), 18  
*to\_proto()* (*feast.feature.Feature* method), 23  
*to\_proto()* (*feast.feature\_service.FeatureService* method), 25  
*to\_proto()* (*feast.feature\_view.FeatureView* method), 19  
*to\_proto()* (*feast.infra.offline\_stores.bigquery\_source.BigQuerySource* method), 13  
*to\_proto()* (*feast.infra.offline\_stores.file\_source.FileSource* method), 15  
*to\_proto()* (*feast.infra.offline\_stores.redshift\_source.RedshiftSource* method), 14  
*to\_proto()* (*feast.infra.online\_stores.datastore.DatastoreTable* method), 46  
*to\_proto()* (*feast.infra.online\_stores.dynamodb.DynamoDBTable* method), 47  
*to\_proto()* (*feast.infra.online\_stores.sqlite.SQLiteTable* method), 43  
*to\_proto()* (*feast.on\_demand\_feature\_view.OnDemandFeatureView* method), 21  
*to\_redshift()* (*feast.infra.offline\_stores.redshift.RedshiftRetrievalJob* method), 39  
*to\_registry\_proto()* (*feast.feature\_store.RepoContents* method), 8  
*to\_s3()* (*feast.infra.offline\_stores.redshift.RedshiftRetrievalJob* method), 39  
*to\_spec\_proto()* (*feast.entity.Entity* method), 18  
*to\_sql()* (*feast.infra.offline\_stores.bigquery.BigQueryRetrievalJob* method), 37  
*to\_yaml()* (*feast.entity.Entity* method), 18  
*type* (*feast.infra.offline\_stores.bigquery.BigQueryOfflineStoreConfig* attribute), 36  
*type* (*feast.infra.offline\_stores.file.FileOfflineStoreConfig* attribute), 36  
*type* (*feast.infra.offline\_stores.redshift.RedshiftOfflineStoreConfig* attribute), 38  
*type* (*feast.infra.online\_stores.datastore.DatastoreOnlineStoreConfig* attribute), 45  
*type* (*feast.infra.online\_stores.dynamodb.DynamoDBOnlineStoreConfig* attribute), 47  
*type* (*feast.infra.online\_stores.redis.RedisOnlineStoreConfig* attribute), 49  
*type* (*feast.infra.online\_stores.sqlite.SQLiteOnlineStoreConfig* attribute), 43

**U**

*update()* (*feast.infra.online\_stores.datastore.DatastoreTable* method), 46  
*update()* (*feast.infra.online\_stores.dynamodb.DynamoDBTable* method), 47  
*update()* (*feast.infra.online\_stores.redis.RedisOnlineStore* method), 48  
*update()* (*feast.infra.online\_stores.sqlite.SQLiteTable* method), 43  
*update\_infra()* (*feast.infra.aws.AwsProvider* method), 34  
*update\_infra()* (*feast.infra.passthrough\_provider.PassthroughProvider* method), 33

`update_infra()` (*feast.infra.provider.Provider* method),  
32  
`user` (*feast.infra.offline\_stores.redshift.RedshiftOfflineStoreConfig*  
*attribute*), 38

## V

`validate()` (*feast.data\_source.DataSource* method), 12  
`validate()` (*feast.data\_source.RequestDataSource*  
*method*), 12  
`validate()` (*feast.infra.offline\_stores.bigquery\_source.BigQuerySource*  
*method*), 13  
`validate()` (*feast.infra.offline\_stores.file\_source.FileSource*  
*method*), 15  
`validate()` (*feast.infra.offline\_stores.redshift\_source.RedshiftSource*  
*method*), 14  
`value_type` (*feast.entity.Entity* property), 18  
`version()` (*feast.feature\_store.FeatureStore* method), 8

## W

`with_join_key_map()` (*feast.feature\_view.FeatureView*  
*method*), 20  
`with_name()` (*feast.feature\_view.FeatureView* method),  
20  
`with_projection()` (*feast.feature\_view.FeatureView*  
*method*), 20  
`write_batch_size` (*feast.infra.online\_stores.datastore.DatastoreOnlineStoreConfig*  
*attribute*), 45  
`write_concurrency` (*feast.infra.online\_stores.datastore.DatastoreOnlineStoreConfig*  
*attribute*), 45  
`write_to_online_store()`  
(*feast.feature\_store.FeatureStore* method),  
8